



Car glazing

01

Windscreen adhesive

Screenox Quantum

- ▶ Item no. 2893-506-10
- ▶ Contents: 300 ml
- ▶ Packing unit: 12

▶ **Product description**

- Single-component PUR windscreen adhesive
- Drive-away time: 60 min. for double airbag
- Temperature: -10°C to +35°C
- Processing time: 15 minutes
- High modulus
- Suitable for antennas
- Very short cut-off string
- Very good stability
- Meets the requirements of original equipment manufacturers
- Non-conductive
- Solvent-free
- Can be processed cold
- Applicable without activator
- Compatible with MS polymers and thus processable on cut back MS residual adhesive caterpillars
- Very easy to squeeze out

01



02



02

Windscreen adhesive

Screenox Quantum

- ▶ Item no. 2893-506-30
- ▶ Contents: 400 ml
- ▶ Packing unit: 12

▶ **Product description**

- See description Screenox Quantum Cartridge

03

Windscreen adhesive set: Cartridge

- ▶ Item no. 2893-506-20
- ▶ Contents: 5 pieces
- ▶ Packing unit: 24

▶ **Set contents:**

- 1 x Screenox Quantum windscreen adhesive, 300 ml cartridge
- 1 x 3 in 1 multiprimer in 5 ml snap ampoule
- 1 x primer brush
- 1 x cartridge point
- 1 x instructions

03



04



04

Windscreen adhesive set: Bag

- ▶ Item no. 2893-506-40
- ▶ Contents: 5 pieces
- ▶ Packing unit: 24

▶ **Set contents:**

- 1 x Screenox Quantum windscreen adhesive, 400 ml bag
- 1 x 3in1 multiprimer in 5 ml snap ampoule
- 1 x Primer brush
- 1 x Cartridge point
- 1 x Instructions

04





01
Windscreen adhesive
Screenox Cold - New Generation

- ▶ Item no. 2893-504-10
- ▶ Contents: 300 ml
- ▶ Packing unit: 12

- ▶ **Product description**
- Single-component PUR windscreen adhesive
- Drive-away time: without airbag 60 minutes, with twin airbag 2 hours Temperature range: 23° C, 50% relative air humidity
- Glazing time: 15 minutes
- Universal module
- Suitable for antennas
- Short cut-off string
- Good stability
- Meets the requirements of original equipment manufacturers
- Non-conductive
- Solvent-free
- Can be processed cold
- Applicable without activator
- Incl. tips

02
Windscreen adhesive package
Screenox Cold - New Generation

- ▶ Item no. 2893-504-30
- ▶ Contents: 400 ml
- ▶ Packing unit: 12



03
Windscreen adhesive set
Cartridge

- ▶ Item no. 2893-504-20
- ▶ Contents: 7 pieces
- ▶ Packing unit: 24

- ▶ **Set contents:**
- 1 x 300 ml cartridge of Screenox Cold - New Generation windscreen adhesive
- 1 x 3in1 multiprimer in 5 ml snap ampoule
- 1 x Primer brush
- 1 x Cartridge point
- 1 x Instructions



04
Windscreen adhesive set
Bag

- ▶ Item no. 2893-504-40
- ▶ Contents: 7 pieces
- ▶ Packing unit: 24

- ▶ **Set contents:**
- 1 x 400 ml bag of Screenox Cold - New Generation windscreen adhesive
- 1 x 3in1 multiprimer 30 ml
- 1 x Primer brush
- 1 x Bag adapter
- 1 x Instructions





01

3 in 1 combi primer

Colour: black

- ▶ Item no. 2893-580-30
- ▶ Contents: 30 ml
- ▶ Packing unit: 24

- ▶ Item no. 2893-580-100
- ▶ Contents: 100 ml
- ▶ Packing unit: 8

▶ Product description

- Adhesion promoter, rust protection, black primer (UV protection) and corrosion protection in one
- Quick to use and increased safety with just one pre-treatment product
- can be used on ceramic screen print, glass and bright metal

02

Brush

For primer, made from cotton

- ▶ Item no. 2893-540



03

Glass Metal Adhesive

Mirrlock

- ▶ Item no. 2898-557


▶ Product description

- 2-component adhesive
- Temperature range: -55°C to +120°C
- Touch dry after approx. 20 seconds
- Curing: approx. 12 hours at 23°C and 55% air humidity
- Tensile strength: approx. 35 N/mm² (glass breaks)

- Note: Not suitable for Ford vehicles!



03





01

Glass cleaner

Stries Protect

- ▶ Item no. 2897-340
- ▶ Contents: 500 ml
- ▶ Packing unit: 12

- ▶ Item no. 2897-340-5
- ▶ Contents: 5 litres
- ▶ Packing unit: 1

- ▶ Item no. 2897-340-30
- ▶ Contents: 30 litre
- ▶ Packing unit: 1

▶ **Product description**

- Removes dirt, marks, fingerprints, grease, nicotine, dead insects, etc.
- Can be used on glass and polycarbonate glass
- Free of silicone and ammonia

02

Spout for 5 litre containers

- ▶ Item no. 2000-000-005

Spout for 30 litre containers

- ▶ Item no. 2000-000-030



03

Intensive window cleaner

Topas

- ▶ Item no. 2897-310
- ▶ Contents: 400 ml
- ▶ Packing unit: 24

▶ **Product description**

- Silicone-free
- Also suitable for polycarbonate glass
- Safe for surfaces
- Foam formation only after the surface has been coated with the product

04

Active cleaning cloths

Jumbo pail

- ▶ Item no. 2897-260-70
- ▶ Contents: 75 wipes
- ▶ Packing unit: 1

▶ **Product description**

- Lemon-scented
- Lint-free
- Dermatologically tested
- Cleaning cloths easily remove even bodywork, plastic and windscreen adhesive residue



03



04

01

Screen cutting-out system

Screenout Easy

- ▶ Item no. 2893-699-999
- ▶ 11 pieces

▶ **Product description**

- Contents:
- 1 x Cutting-out device (angled & with flexible rollers for the cord)
- 1 x Vacuum pump
- 2 x Cutting-out cord (tensile force approx. 210 daN)
- 1 x Piercing awl (art. no. 8715-57-68)
- 1 x Cutting blade (art. no. 8715-57-600)
- 1 x Decorative trim wedge (art. no. 8715-57-700)
- 1 x Pick
- 1 x Angular gear
- 1 x Replacement shaft
- 1 x Flexible shaft
- 1 x Threading tool
- 1 x Adapter for bit inserts
- 2 x Cut-out protector
- 1 x Instructions for use
- 1 x Plastic case



01

02

Car glazing system

Screenout

- ▶ Item no. 2893-999-999
- ▶ 23 pieces

▶ **Product description**

- Contents:
- 1 x puller (art. no. 8715-57-71)
- 1 x duct tape (art. no. 4992-380)
- 2 x vacuum lifting tools (art. no. 8715-57-61)
- 2 x pull handles (art. no. 8715-57-65)
- 1 x awls (art. no. 8715-57-68)
- 1 x handle (art. no. 8715-57-694)
- 10 x blades, 16 mm (art. no. 8715-57-692)
- 1 x cutting wire (art. no. 8715-57-63)
- 1 x installation and decorative strip wedge (art. no. 8715-57-700)
- 1 x vacuum gel (art. no. 2600-15)
- 1 x cutter blade (art. no. 8715-57-600)
- 1 x storage box (art. no. 1962-1-4)



02

03

Gaffer tape

- ▶ Item no. 4992-360
- ▶ Colour: silver

- ▶ Item no. 4992-370
- ▶ Colour: black

▶ **Technical specifications**

- Width: 50 mm
- Length: 50 m
- reinforced



03

04

Safety knife

Martor quality

- ▶ Item no. 8715-57-604
- ▶ Item no. 8715-57-605
- ▶ Spare blades 10 pieces.



04

05

Cutter knife

Incl. one spare blade

- ▶ Item no. 8715-57-600
- ▶ Item no. 8715-57-601
- ▶ Spare blades 10 pieces.



05

01

Round nozzle

For aluminium cartridge, embossed, length: 8.2 cm

▶ Item no. 2891-02-25



01

02

Triangular nozzle

for windscreen adhesive

▶ Item no. 2891-02-30



02

03

Cartridge opener

▶ Item no. 2891-02-50



03

04

Bag adaptor and nozzle set
for 400 ml bags

▶ Item no. 2893-560

▶ Product description

1 x bag adaptor

2 x round nozzle (2891-02-25)



04

05

Windscreen cutter

▶ Item no. 8697-6

▶ Product description

- optimal for glazing of glued panes and for the repair of automobiles
- Anti-vibration system (up to 70% less vibration due to complete decoupling of the outer motor housing)
- permanently safe working
- Permanently and overload protected
- High-performance motor with high copper content
- outstanding cutting speed
- tachometer generator
- constant speeds even under load
- infinitely variable electronic speed adjustment
- Metal gearbox (high load capacity and maximum service life)
- large radius of action (5m finely stranded rubber cable)
- Nominal power consumption 450 W

- Power output 250 W
- Vibrations 10,000-19,500 1/min
- Hexagon tool holder
- Manual tool change with hexagon socket screw
- Amplitude 2 x 1.7 degrees
- 5 m cable with plug
- Weight according to EPTA 1.45 kg

Scope of delivery:

- 1 x disc cutter Super Cut FSC
- 1 x plastic tool case
- 1 x Sharpening stone (Art.:8697-5-1)
- 1 x clamping screw



05

06

Round saw blades

▶ Product description

- For further use of the special cutter when sawing sheet metal and GRP as well as cutting scrap bridges (bodywork saw)



06

Item no.	Ø mm	Sales unit
8697-580-2	63	1
8697-581-2	80	1




01

Suction cup handle double-jointed

► Item no. 8715-57-61

► Product description

- With double joint
- Max. lift: 30 kg
- Suction cups: diameter 150 mm, with suck-on mechanism
- Safety lock
- High-grade ABS plastic, acid and oil resistant
- Ideal for curved glass
- Flexible



01

02

Pump vacuum lifting tool

Tested by TÜV North

► Item no. 8715-57-610

► Technical specifications

- With its supporting force of 120 kg, it can especially be used in the truck and utility vehicles sector
- Non-slip rubber coating
- With safety marking
- Safety tested by TÜV Nord



02

03

One-hand pump lifter

for curved & structured discs

► Item no. 8715-57-74

► Product description

- for curved and strongly structured surfaces
- Suction plate diameter: 220mm
- Load capacity 80kg
- One-hand operation with vacuum pump
- Supporting direction: parallel
- compact size
- special plastic
- Colour black/blue



03

01

Fixing lifting tool

- ▶ Item no. 8715-57-69
- ▶ 1 packing unit = 6 pcs.

▶ **Product description**

- Suitable for fixing glued trim strips and windscreen frames



01

02

Windscreen stand

Also suitable for HGVs and vans

- ▶ Item no. 7714-200

▶ **Product description**

- Also suitable for HGVs and vans
- Non-slip due to special foam rubber padding
- Max. load capacity 120 kg
- Foldable



02

03

Cutting wire

Ideal for high modulus windscreen adhesive

- ▶ Item no. 8715-57-63
- ▶ Square profile, 50 m



03

04

Piano cutting wire

for sawing

- ▶ Item no. 8715-57-64
- ▶ drilled, 20 m



04

05

Traction handle

for windscreen removal wire

- ▶ Item no. 8715-57-65



05

06

Clip releaser tool

2-pc. set

- ▶ Item no. 8715-57-700

▶ **Product description**

- Installation wedge dimensions: 20.5 x 265 mm
- Dimensions of decorative trim wedge: 30 x 200 mm



06

01

Counter bracket

for windscreen removal wire

- ▶ Item no. 8715-57-67



01

02

Insert awls

for windscreen removal wire

- ▶ Item no. 8715-57-66



02

03

Insert awls (sword)

for windscreen removal wire

- ▶ Item no. 8715-57-68



03

04

Window scraper

- ▶ Item no. 8715-64-700

Spare blades

- ▶ Item no. 8715-64-71
- ▶ Spare blades, 10 pcs.



04

05

Screen cutting-out cord

- ▶ Item no. 2600-20

Product description

- 240 dN tensile force => much more resilient
- Oval shape => cut with less force required
- 65 m on one roll
- Colour: blue



05

06

Discs separating cord for high-modulus windshield adhesive

- ▶ Item no. 2600-24

Product description

- for separating narrow, hard bondings
- 160 dN Tractive force
- round shape
- silicone-free
- 65m on a roll
- Colour: orange



06

07

Cold knife

Ideal for side and rear windows

- ▶ Item no. 8697-603
- ▶ Knife, incl. 25 mm blade
- ▶ Item no. 8697-604
- ▶ Spare blade, 18 mm
- ▶ Item no. 8697-605
- ▶ Spare blade, 25 mm



07

08

PU scraper set

ideal for the cutting back of the remaining adhesive bead

- ▶ Item no. 8715-57-690

Product description


Contents:

- 10 x 12 mm spare blade (art. no. 8715-57-691)
- 10 x 16 mm spare blade (art. no. 8715-57-692)
- 10 x 20 mm spare blade (art. no. 8715-57-693)
- 1 x Handle for PU scraper (art. no. 8715-57-694)



08

01
Window removal knife
Packing unit, 2 pieces



Item no.	Model
8697-002-123	32.0 mm
8697-002-168	45.0 mm
8697-002-160	54.0 mm
8697-002-097	58.0 mm
8697-002-081	60.0 mm
8697-002-125	70.0 mm
8697-002-171	70.0 mm
8697-002-194	110.0 mm

02
Window removal knife
Packing unit, 2 pieces



Item no.	Model
8697-004-152	39.0 mm
8697-003-072	45.0 mm
8697-003-143	16.0 – 35.0 mm
8697-004-195	32.0 – 46.0 mm
8697-004-182	42.0 – 60.0 mm
8697-004-169	60.0 – 76.0 mm

05
Windscreen cutter blade, toothed
Packing unit, 2 pieces



Item no.	Model
8697-009-208	19.0 mm
8697-009-207	25.4 mm
8697-009-209	38.0 mm

06
Window removal knife
Packing unit, 2 pieces



Item no.	Model
8697-006-120	14.0 mm
8697-006-103	35.0 mm

03
Window removal knife
Packing unit, 2 pieces



Item no.	Model
8697-005-083	10.0 mm
8697-005-108	16.0 mm
8697-005-118	19.5 mm
8697-005-115	22.0 mm
8697-005-076	24.0 mm
8697-005-163	28.0 mm
8697-005-114	32.0 mm
8697-005-147	32.0 mm
8697-005-191	32.0 mm
8697-005-079	36.0 mm
8697-005-110	40.0 mm
8697-005-156	40.0 mm
8697-005-154	45.0 mm
8697-005-155	60.0 mm
8697-005-157	60.0 mm
8697-005-101	60.0 mm
8697-005-107	60.0 mm

04
Window removal knife
Packing unit, 2 pieces



Item no.	Model
8697-001-121	26.0 mm
8697-001-073	35.0 mm
8697-001-176	90.0 mm

07
Blade for removing residual adhesive beads
Packing unit, 2 pieces



Item no.	Model
8697-007-129	12.0 mm
8697-007-146	18.0 mm

08
Blade for removing residual adhesive beads
Packing unit, 2 pieces



Item no.	Model
8697-007-113	25.0 mm

09
Windscreen cutter blade, toothed
Packing unit, 2 pieces



Item no.	Model
8697-005-211	25.5 mm
8697-005-212	38.0 mm

01

Window Repair Kit

Screen repair

► Item no. 2600-999-999

Item no.	Description
2600-01	10 x cutting blade
2600-04	1 x 12 V electric drill
2600-06	1 x jointed inspection mirror with suction pad
2600-07	2 x glass drill bit 1.2 mm
2600-08	1 x hardening film
2600-09	1 x lapping polisher
2600-10	1 x polish
2600-11	1 x repair resin
2600-12	1 x finish resin
2600-15	1 x vacuum gel
2600-16	1 x tool holder with spring capsule
2600-045	1 x 230 V transformer
3721-503	1 x LED inspection lamp
2600-14	1 x spare lamp



02

Hand drill

For the screen repair kit Screenrepair

► Item no. 2600-21

► Technical specifications

- Diameter: 1.6 mm
- For efficient, gentle drilling into the front windscreen
- Allows the repair resin to penetrate all areas of the stone chip
- Prevents excessively deep or forceful drilling and slipping



04

Metal drill

For the screen repair kit Screenrepair

► Item no. 2600-22

► Technical specifications

- Diameter: 1.6 mm




03

Grip without drill

For the screen repair kit Screenrepair

► Item no. 2600-23



05

12 V electric drill with chuck

► Item no. 2600-04



01
12 V UV lamp with timer

► Item no. 2600-13-12

► Product description

- Only operate using 12V UV bulb with timer with 12V adapter cable (art. no. 2600-17)



02
12 V adapter cable

► Item no. 2600-17

► Product description

- Suitable for UV lamp 12V (2600-13-12) and 12V electric drill (2600-04)

03
Tool holder with spring capsule

► Item no. 2600-16



04
220 V transformer

► Item no. 2600-045



05
Cutting blades, 10 pieces

► Item no. 2600-01




06
LED inspection lamp

► Item no. 3721-503




07
Glass drill bit 1.2 mm, 2 pieces

► Item no. 2600-07



08
Lapping polisher

► Item no. 2600-09



09
Curing film

► Item no. 2600-08



10
Jointed inspection mirror with suction pad

► Item no. 2600-06




01
Polish

- ▶ Item no. 2600-10



02
Repair resin

- ▶ Item no. 2600-11




03
Vacuum gel

- ▶ Item no. 2600-15



04
Finish resin

- ▶ Item no. 2600-12




05
Spare UV tube

- ▶ Item no. 2600-14




06
Spacer
Universal

- ▶ Item no. 5502-100-001
- ▶ 1 packing unit = 5 pcs.




07
Moos ribbon
Incl. hard rubber block 5 x 7mm, self-adhesive

- ▶ Item no. 5502-107-001
- ▶ 15 m roll




08
Retain profile
For side and rear windows, self-adhesive

- ▶ Item no. 5502-107-002
- ▶ 27 m roll



09
Moos ribbon
4 x 3mm, self-adhesive

- ▶ Item no. 5502-107-003
- ▶ 30 m roll



10
WS-Scheibenstopp
BMW E36 / E38 / E39

- ▶ Item no. 5502-101-003
- ▶ 1 sales unit = 56 pieces = 1 pallet

