



Vehicle reworking

Summary of paint preparation and paint sealing products

	Paint diagnosis					Paint sealing			
	Deep and heavy scratches	Many heavy scratches	Medium scratches	Light scratches	Holograms				
Products									
	Scratch Off Ultra polishing paste coarse 2000-341/1kg	Scratch Off Ultra polishing paste coarse 2000-341/1kg	Scratch Off Medium polishing paste medium 2000-342/1kg	Scratch Finish polishing paste fine 2000-343/1kg	Perfect Gloss High-gloss polish 2000-344-500/500ml	Perl Long-term surface Protection sealant 2897-327/500ml	Speed Gloss Nano rapid sealer 2000-316-1/1L	Speed-Wax Wax sealant 2000-330-1/1kg	Paint-Guard Long-term sealant 2000-331-500/500ml
Application									
	Rotary machines: 1,500 – 2,000 rpm Excenter machines: 1,700 – 2,200 rpm	Rotary machines: 1,500 – 2,000 rpm Excenter machines: 1,700 – 2,200 rpm	Rotary machines: 1,000 – 1,800 rpm Excenter machines: 1,700 – 2,200 rpm	Rotary machines: 800 – 1,500 rpm Excenter machines: 1,700 – 2,200 rpm	Rotary machines: 800 – 1,500 rpm Excenter machines: 1,700 – 2,200 rpm	Processing Premium microfibre cloth, grey	Processing Application sponge, black Premium microfibre cloth, grey	Processing Soft polishing sponge, black Soft waffle sponge Application sponge, black Microfibre cloth, grey	Processing Application sponge, black Premium microfibre cloth, grey

01

Scratch Off Ultra

Grinding paste, coarse

- ▶ Item no. 2000-341
- ▶ Contents: 1 kg
- ▶ Packing unit: 1

▶ **Technical specifications**

- entfernt tiefe und starke Kratzer
- entfernt Kratzer vollständig (ohne Füllstoffe)
- Verarbeitung ohne Wasser
- lange Verarbeitungszeit
- hinterlässt einen einzigartigen Tiefenglanz
- silikonfrei
- Rotative Maschinen: 1.500 – 2.000 U/min
- Exzenter Maschinen: 1.700 – 2.200 U/min

Processing
 Spider sponge
 Polishing sponge, yellow
 Natural lambskin

Repolishing
 Microfibre cloth red
 Microfibre cloth blue

02

Scratch Off Medium

Grinding paste, medium

- ▶ Item no. 2000-342
- ▶ Contents: 1 kg
- ▶ Packing unit: 1

▶ **Technical specifications**

- Removes medium scratches
- Removes scratches completely (without fillers)
- Can be processed without water
- Long process time
- Leaves behind a unique high-gloss finish
- Silicone-free
- Rotary machines: 1,000 – 1,800 rpm
- Excenter machines: 1,700 – 2,200 rpm

Processing
 Spider sponge
 Polishing sponge, yellow
 Polishing sponge, orange

Repolishing
 Microfibre cloth red
 Microfibre cloth blue



01



02



03

Scratch Finish

Grinding paste, fine

- ▶ Item no. 2000-343
- ▶ Contents: 1 kg
- ▶ Packing unit: 1

▶ **Technical specifications**

- Removes light scratches
- Removes scratches completely (without filler)
- Long process time
- Leaves behind an excellent high gloss
- Can be processed by hand
- Silicone and wax-free
- Rotary machines: 800 – 1,500 rpm
- Excenter machines: 1,700 – 2,200 rpm

Processing
 Waffle sponge
 Polishing sponge, black
 Polishing sponge, orange



03

01

Perfect Gloss

High-gloss polish

- ▶ Item no. 2000-344-500
- ▶ Contents: 500 ml
- ▶ Packing unit: 1

- ▶ Item no. 2000-344-5
- ▶ Contents: 5 litres
- ▶ Packing unit: 1

▶ **Technical specifications**

- Removes holograms
- Leaves behind a long-lasting deep gloss and protection
- Contains no volatile silicones
- Can be processed by hand
- Rotary machines: 800 - 1,500 rpm
- Excenter machines: 1,700 - 2,200 rpm

02

Push-pull closure

Colour: white

- ▶ Item no. 2000-356-2



02

Processing
Waffle sponge
Polishing sponge, black
Application sponge, black



03

Starter kit for paint preparation

11-piece kit

- ▶ Item no. 2000-003

Contents:

- 1x Coarse grinding paste, Scratch Off Ultra
- 1x Medium grinding paste, Scratch Off medium
- 1x Fine grinding paste, Scratch Finish
- 1x High-gloss polish, Perfect Gloss
- 1x Medium polishing cloth, orange
- 1x Soft polishing cloth, black
- 1x Hard polishing cloth, yellow
- 1x Lambskin, white
- 1x Premium micro-fibre cloth
- 1x Microfibre cloth, red



03

01



01

Quick sealant
Speed-Gloss-Nano

- ▶ Item no. 2000-316-1
- ▶ Contents: 1 litre
- ▶ Packing unit: 1

- ▶ Item no. 2000-316-5
- ▶ Contents: 5 litres
- ▶ Packing unit: 1

▶ **Product description**

- Perfect shine effect
- Effortless polishing without leaving any sticky residue
- Suitable for cleaning without water
- Contains carnauba wax

Processing
Application sponge, black
Premium microfibre cloth, grey



01

02

Wax sealing
Speed-Wax

- ▶ Item no. 2000-330-1
- ▶ Contents: 1 kg
- ▶ Packing unit: 1

▶ **Product description**

- Natural carnauba wax, enriched with high-quality synthetic components
- For manual and machine application
- Permanent protection against the elements
- Long-lasting shine

- Rotary machines: 1,500 – 2,000 rpm
- Excenter machines: 1,700 – 2,200 rpm

Processing
Waffle sponge
Polishing sponge, black
Application sponge, black
Microfibre cloth, grey



02

03

Long-term sealant
Paint Guard

- ▶ Item no. 2000-331-500
- ▶ Contents: 500 ml
- ▶ Packing unit: 1

▶ **Technical specifications**

- Application by hand
- Extra UV protection for long-lasting maintenance of the paint layer
- Leaves behind a deep gloss
- Free of volatile silicones

Processing
Application sponge, black
Premium microfibre cloth, grey



03

04

Long-term surface-protection sealant
Pearl

- ▶ Item no. 2897-327
- ▶ Contents: 500 ml
- ▶ Packing unit: 6

▶ **Product description**

- Protective coating & gloss enhancer
- Increases scratch resistance and repels dirt
- Easy to apply and polish
- Takes just 10 minutes to cure
- Solvent free
- Contains silicone

Processing
Premium microfibre cloth, grey



04

01
Cleaning and care spray for matt surfaces
 Perfect Matt

- ▶ Item no. 2000-06
 - ▶ Contents: 500 ml
 - ▶ Packing unit: 6
-
- ▶ **Technical specifications**
 - For cleaning and polishing paint, plastic, laminate and glass
 - Does not change the shine level of the treated surface
 - Spray for overpainting
 - Removes fingerprints from all hard surfaces

02
Magic-Clean cloth
 Microfibre cloth with cleaning clay 30 x 30 cm

- ▶ Item no. 2000-27
-
- ▶ **Technical specifications**
 - for quick removal of strongly adhering surface contamination
 - for fast and efficient work
 - removes residues and spray mist
 - lasts up to 5 times longer than cleaning clay
 - washable

03
Cleaning putty red
 Magic-Clean

- ▶ Item no. 2000-26
 - ▶ Contents: 200 g
 - ▶ Packing unit: 1
-
- ▶ **Technical specifications**
 - Sharp cleaning putty
 - Removes all stubborn deposits from paint and rims - such as rust bloom, brake dust, tar, tree resin, insects, burned-in metal dust and much more ...
 - Supplied in a re-closable box

04
Cleaning putty blue
 Magic Clean

- ▶ Item no. 2000-25
 - ▶ Contents: 200 g
 - ▶ Packing unit: 1
-
- ▶ **Product description**
 - Effortlessly removes even the hardest dirt from painted surfaces
 - Without aggressive solvents
 - Removes industrial dust, surface rust, paint mist, dead insects, adhesive residue, tar and resin deposits



01
Rust film remover
Mega-Star

- ▶ Item no. 2000-10
- ▶ Contents: 5 litres
- ▶ Packing unit: 1

▶ Product description

- Cleaner for extreme inorganic dirt, e.g. concrete residue
- Effortlessly removes stubborn road dirt, brake dust, lime scale, hard deposits of oil, surface rust and rust bloom highly suitable for cleaning wheel rims
- AOX-free
- Mixing ratio: 1:10

02
PH Neutral intensive cleaner
7Clean

- ▶ Item no. 2000-777-05
- ▶ Contents: 500 ml
- ▶ Packing unit: 1

▶ Item no. 2000-777-5

- ▶ Contents:
- ▶ Packing unit: 1

▶ Product description

- highly effective intensive cleaner for indoor and outdoor use
- ready
- powerful, easy cleaning
- for all interior surfaces (fabric covers, carpets, plastic cladding, rubber and metal decorative strips)
- removes dried soiling (e.g. insect remains) on paint, plastic and glass
- pH neutral

02
Power cleaner, exterior
All-Star

- ▶ Item no. 2000-312-5
- ▶ Contents: 5 litres
- ▶ Packing unit: 1

▶ Item no. 2000-312-30

- ▶ Contents: 30 litre
- ▶ Packing unit: 1

▶ Product description

- For universal use
- AOX-free
- Removes all types of stubborn road dirt
- Effortlessly removes oils, greases, nicotine and insects
- Gentle on paint, decorative trims and logos
- Specially made for high-pressure cleaners
- Can be used warm and cold
- Mixing ratio:
- High pressure cleaners: 1:1 to max. 1:6
- Low pressure / manual cleaning: 1:1 to max. 1:25

03
Interior/exterior power cleaner
All Star Protect

- ▶ Item no. 2000-318-5
- ▶ Contents: 5 litres
- ▶ Packing unit: 1

▶ Item no. 2000-318-30

- ▶ Contents: 30 litres
- ▶ Packing unit: 1

▶ Product description

- For universal use
- AOX-free
- Removes stubborn road dirt, oil, grease, nicotine and insects
- Aluminium safe (tested on the most common vehicles)
- Free from solvents, silicates and phosphates
- Gentle on paint, rubber components and logos
- pH-value 10
- Low colour and odour
- Mixing ratio:
- High-pressure cleaners 1:5 to 1:20 (max. 50°C)
- Low pressure / manual cleaning 1:10 to max. 1:40



01



02



03



04



02

Tarpaulin Cleaner

Cover-Star

- ▶ Item no. 2000-313-30
- ▶ Contents: 30 litre
- ▶ Packing unit: 1

▶ Product description

- Up to 1:100 mixable with water
- Suitable for use with high-pressure cleaners
- Contains no halogenated hydrocarbons
- Free of adsorbent organic halogen compounds (AOX)
- Biodegradable

01

Power cleaner, inside/outside

Uni-Star

- ▶ Item no. 2000-312-5
- ▶ Contents: 5 litres
- ▶ Packing unit: 1

- ▶ Item no. 2000-312-30
- ▶ Contents: 30 litre
- ▶ Packing unit: 1

▶ Product description

- For universal use inside and outside
- AOX-free
- Removes all types of stubborn road dirt
- Effortlessly removes oil, grease, nicotine and insects
- Leaves behind no traces or matt surfaces
- Gentle on paint, decorative trims and logos
- Alkaline
- Basis: tenside, alkaline, complexing agent
- Mixing ratio:
- High pressure cleaners: 1:1 to max. 1:5
- Low pressure / manual cleaning: 1:1 to max. 1:10
- Density: approx. 1.02 g/ml
- pH-value: approx. 12.8
- Boiling point: approx. 100°C
- Silicone-free



01



02

01

Tar remover

Power Star Ultra

- ▶ Item no. 2000-04
- ▶ Contents: 5 litres
- ▶ Packing unit: 1
- ▶

▶ **Product description**

- Loosens road tar
- Removes stickers on new cars
- Removes adhesive and sealing residue from all external plastic parts, paintwork and glass

03

Spout for 5 litre containers

- ▶ Item no. 2000-000-005

Spout for 30 litre containers

- ▶ Item no. 2000-000-030

02

Insect remover

Insect-Star Extreme

- ▶ Item no. 2000-322-5
- ▶ Contents: 5 litres
- ▶ Packing unit: 1

▶ **Item no. 2000-322-30**

- ▶ Contents: 30 litre
- ▶ Packing unit: 1

▶ **Product description**

- Special cleaner for the fast removal of dead insects
- Suitable for paintwork, glass, plastic and alkaline-resistant surfaces on all PCVs, HGVs, vans and trains
- Silicone-free

04

Active foam cleaner

Active Care

- ▶ Item no. 2000-401-30
- ▶ Contents: 30 litre
- ▶ Packing unit: 1

▶ **Product description**

- For soaking and cleaning heavy dirt and chemical pre-washes
- In car washes: Undiluted
- 1:1 using dosing pump (setting 8-20ml)

05

Drying accelerator

Speed-Dry

- ▶ Item no. 2000-404-30
- ▶ Contents: 30 litre
- ▶ Packing unit: 1

▶ **Product description**

- Supports the drying process by tearing open the water film
- Set car wash system to: neat
- 1:1 via the dosing pump (setting 8-20 ml)



01



02



04



06

03



01

Car Shampoo

Wash & Ready

- ▶ Item no. 2000-300-5
- ▶ Contents: 5 litres
- ▶ Packing unit: 1

- ▶ Item no. 2000-300-30
- ▶ Contents: 30 litre
- ▶ Packing unit: 1

▶ **Product description**

- Shampoo concentrate
(can be diluted to 1:100)
pH value 7.7

Effortlessly
removes grime and road dirt
Leaves a shiny, streak-free surface



01

02

High gloss shampoo

Wash & Drive

- ▶ Item no. 2000-300-5
- ▶ Contents: 5 litres
- ▶ Packing unit: 1

- ▶ Item no. 2000-300-30
- ▶ Contents: 30 litre
- ▶ Packing unit: 1

▶ **Product description**

- Leaves a shiny and streak-free surface
Silicone-free AOX free
Effortlessly removes road dirt and traffic deposits
Cleans and preserves the paintwork in one application
Optimal mixing ratio: 15ml to 10 litres of warm water



02

03

Car-wash shampoo

Power Wash

- ▶ Item no. 2000-402-30
- ▶ Contents: 30 litre
- ▶ Packing unit: 1

▶ **Product description**

- Ideal for vehicle cleaning and providing good lubricity
- Set vehicle wash system to: neat
- 1:1 via the dosing pump (setting 8-15 ml)
- Machine cleaning: dilute up to 1:500 (depending on the level of soiling)
- Manual cleaning: dilute up to 1:50 (depending on the level of soiling).



03

01

Scrubbing brushes

with water throughput

- ▶ Item no. 2000-810-3
- ▶ 130 x 260 mm (with pivot joint)

- ▶ Item no. 2000-810-4
- ▶ 90 x 400 mm

▶ **Product description**

- Brush type Soft/split
- Dimensions: 130mm x 260mm x 110mm
- Filament: 50mm
- Material: PP/PBT
- Thermal stability: 50°C



01



02

Washing brush 30° diagonal

25 cm wide

- ▶ Item no. 2000-820-2

▶ **Technical specifications**

- Angle brush body
- springy hair, which does not leave scratches on the varnish
- excellent acid resistance
- Maximum water temperature: 60° C
- width: 25 cm
- long life
- dense hair trimming
- polypropylene
- Telescopic handles additionally available (Item-no. 2000-820-4 and 5)



02

03

Washing brush

25 cm wide

- ▶ Item no. 2000-820-1

▶ **Technical specifications**

- Rubber protection on brush body
- springy hair, which does not leave scratches on the varnish
- width: 25 cm
- long life
- dense hair trimming
- polypropylene
- Telescopic handles additionally available (Item-no. 2000-820-4 and 5)



03

04

Washing brush for trucks

35 cm wide

- ▶ Item no. 2000-820-3

▶ **Technical specifications**

- springy hair, which does not leave scratches on the varnish
- long life
- dense hair trimming
- polypropylene
- width: 35 cm
- Telescopic handle additionally available (Item-no. 2000-820-9)



04

05

Hand-wash brush

- ▶ Item no. 2000-820-6

▶ **Technical specifications**

- springy hair, which does not leave scratches on the varnish
- long life
- dense hair trimming
- polypropylene



05

01

Rim brush

With water throughput

▶ Item no. 2000-810-9

▶ Product description

- Filament description: Soft/split
- Filament length: 50 mm
- Height: 105 mm
- Length: 240 mm
- Width: 150 mm
- Material: PP, PBT
- Max. temperature in use: 50 °Celsius



01

02

Rim brush, black

Soft for aluminium and chrome rims

▶ Item no. 2000-810-8

▶ Product description

- Filament description: Soft
- Filament length: 40 mm
- Colour: black
- Diameter: 65 mm
- Length: 330 mm
- Material: PP, hair/PP
- Max. temperature in use: 60 °Celsius



02

03

Washing brush for rims

▶ Item no. 2000-820-7

▶ Technical specifications

- long life
- dense hair trimming
- polypropylene
- especially for rims



03

04

Telescopic handle

Without water throughput

▶ Item no. 2000-810-10

▶ Product description

- Diameter 31 mm
- Height 45 mm
- Length 1590 mm
- Max. length 2800 mm
- Width 45 mm
- Material Aluminium, Polypropylene
- Max. temperature in use 50 °Celsius

05

Telescopic handle

With water throughput

▶ Item no. 2000-810-6

▶ Technical specifications

- Connector: 1/2" hose connection (Europrofil / Hozelock, Gardena)
- Dimensions (HxWxD): 34mm x 1,600mm 2,900mm
- Material: Aluminium/PP
- Temperature: 50°C
- Pressure load: up to 6 bar

06

Working handle

Without water throughput

▶ Item no. 2000-810-5

▶ Technical specifications

- Dimensions: 31mm x 1500mm
- Material: Aluminium/PP
- Temperature: 50°C



04

05

06



01
Holder system for handles
with 3 terminals

- ▶ Item no. 2000-820-8
- ▶ Technical specifications
 - Stainless steel holder
 - for better hygiene
 - for three handles ø from 9 to 35 mm



01

02
Telescopic handle
2 x 1,50 m black, aluminium

- ▶ Item no. 2000-820-4
- ▶ Technical specifications
 - metal connection tip with wire
 - Lower part: glass fibre
 - Upper part: aluminium.
 - very solid design
 - suitable for washing brushes 25 cm (Item no. 2000-820-1 and 2)



02

03
Telescopic handle with water passage
2 x 1,50 m

- ▶ Item no. 2000-820-5
- ▶ Technical specifications
 - metal connection tip with wire
 - Lower part: glass fibre
 - Upper part: aluminium
 - very solid construction
 - with on/off tap
 - with water flow
 - suitable for washing brushes 25 cm (Item no. 2000-820-1 and 2)



03

07
Telescopic handle
2 x 1,5 m for 2000-820-3

- ▶ Item no. 2000-820-9
- ▶ Technical specifications
 - Aluminium
 - conical tip
 - 2 x 1,5 m
 - suitable for washing brush 35 cm (Item no. 2000-820-3)



04

01

Silicone water squeegee

▶ Item no. 2000-810-30

▶ Technical specifications

- Ergonomically shaped water squeegee
- with 30-cm-wide highly flexible soft silicone lip
- Can be used on both sides
- Features a coarse thread connection for a telescopic pole (the thread is not compatible with Normfest processing poles)



01

02

Squeegee

350 mm, with handle connector on the grip

▶ Item no. 2000-810-1

▶ Technical specifications

- Dimensions (HxWxD): 50mm x 350mm 220mm
- Material: POM/rubber
- Temperature stability: 100°C



02



03

Squeegee

450 mm, with handle connector on the grip

▶ Item no. 2000-810-2

▶ Technical specifications

- Dimensions (HxWxD): 50mm x 450mm 220mm
- Material: POM/rubber
- Temperature stability: 100°C



03



03

Acid-free aluminium rim cleaner

Rimol Gold Protect

▶ Item no. 2897-328-30
 ▶ Contents: 30 litres
 ▶ Packing unit:

▶ Item no. 2897-328-500
 ▶ Contents: 500 ml
 ▶ Packing unit: 1

▶ Item no. 2897-328-5
 ▶ Contents: 5 litres
 ▶ Packing unit: 6

▶ Product description

- Acid-free
- Consists of 70% renewable raw materials, so environmentally friendly
- Contains no materials hazardous to health when evaporating off
- Gel-type viscosity
- Non-toxic
- Does not burn the skin
- Gentle cleaning



03

01
Special aluminium wheel rim cleaner
 Rimol Profi

- ▶ Item no. 2897-321-5
- ▶ Contents: 5 litres
- ▶ Packing unit: 1

- ▶ Item no. 2897-321-30
- ▶ Contents: 30 litre
- ▶ Packing unit: 1

- ▶ Product description
- Acidic
- Breaks down severe inorganic soiling
- Removes brake dust, dirt from the street or surface rust

02
Aluminium Rim Cleaner
 Rimol

- ▶ Item no. 2897-320-1
- ▶ Contents: 500 ml
- ▶ Packing unit: 6

- ▶ Product description
- Acidic
- Easily removes stubborn dirt (burnt in brake dust, rust film, abraded rubber, heavy oil incrustations, road dirt, etc.)

03
Silicone-free tyre care product
 New Wheel Plus

- ▶ Item no. 2897-339-400
- ▶ Contents: 400 ml
- ▶ Packing unit: 12

- ▶ Product description
- Waterproof
- Quick drying
- Silicone-free

04
Silicone-based care product
 New Wheel Extreme

- ▶ Item no. 2897-338-400
- ▶ Contents: 400 ml
- ▶ Packing unit: 12

- ▶ Product description
- Waterproof
- Quick drying
- Containing silicone



01

Engine compartment preservation

Motor-Fit

- ▶ Item no. 2000-307-5
- ▶ Contents: 5 litres
- ▶ Packing unit: 1

- ▶ Item no. 2000-307-30
- ▶ Contents: 30 litres
- ▶ Packing unit: 1

▶ **Product description**

- High shine
- Water dispersing
- Contains silicone
- Contains no aromatic solvents
- Protects electronic components

02

Plastic and rubber care

All-Plast

- ▶ Item no. 2000-370-500
- ▶ Contents: 500 ml
- ▶ Packing unit: 1

- ▶ Item no. 2000-370-5
- ▶ Contents: 5 litres
- ▶ Packing unit: 1

▶ **Product description**

- versatile water-based care
- Care for tyres, exterior plastics, rubber linings, gaskets, plastic parts in the engine compartment and rubber hoses
- leaves a deep black matt finish
- can be applied to wet or dry tyres
- long-lasting
- containing silicone
- The application on sealing rubbers in the winter time facilitates the door opening in the cold season.

03

Care product for exterior plastic

Outplast

- ▶ Item no. 2000-319-500
- ▶ Contents: 500 ml
- ▶ Packing unit: 12

▶ **Product description**

- Provides long-lasting shine
- Excellent surface protection against environmental damage
- Silicone-free
- Not suitable for interior plastic parts or painted plastics

04

Plastic dyer

Plast-PT

- ▶ Item no. 2897-041
- ▶ Contents: 75 ml
- ▶ Packing unit: 1

Black



▶ **Product description**

- Resistant to car washes, high pressure cleaners and solvents
- For dyeing plastic
- Incl. sponge



01



02



03



04

01
Universal foam cleaner
Multin

- ▶ Item no. 2897-342
- ▶ Contents: 600 ml
- ▶ Packing unit: 12

- ▶ **Product description**
- Active foam
 - Cleans and degreases
 - Powerful dissolving
 - Leaves no residues
 - Colour: White foam

02
Cockpit spray, free of silicone and solvents
New Look Protect

- ▶ Item no. 2897-337-1
- ▶ Contents: 400 ml
- ▶ Packing unit: 12

- ▶ **Technical specifications**
- Dust suppressing
 - Antistatic
 - Leaves a silky shine
 - Leaves a neutral fragrance
 - Cleaning and care for the dashboard, arm rests, mats, shelves, consoles



01



02

01
Intensive interior cleaner and care product
Interno Protect

- ▶ Item no. 2000-05
- ▶ Contents: 500 ml
- ▶ Packing unit: 12

- ▶ Item no. 2000-05-5
- ▶ Contents: 5 litres
- ▶ Packing unit: 1

- ▶ **Product description**
- Treats hard and soft surfaces, such as plastic, vinyl, chrome, sealing strips, door sill protectors, car leather, upholstery and mats. Leaves a matt finish on plastic surfaces and a pleasantly fresh fragrance. Free from acids and silicone-free.
 - Contains no hydrocarbon solvents
 - Not suitable for suede and Alcantara. Ready to use



03



01
Upholstery cleaner
 Velvet

- ▶ Item no. 2897-307
- ▶ Contents: 400 ml
- ▶ Packing unit: 12

- ▶ **Product description**
- cleans and protects upholstery, carpets and roof lining
 - removes greasy residue
 - leaves a pleasant scent
 - no vacuuming required

02
Leather care product
 Ledanol

- ▶ Item no. 2000-310-1
- ▶ Contents: 1 litre
- ▶ Packing unit: 1

- ▶ **Product description**
- Cares for and protects leather
 - Solvent-free
 - Do not use on suede or similar surfaces



01



02

01

Interior Detailer

Crystal Ultra

- ▶ Item no. 2897-306
- ▶ Contents: 400 ml
- ▶ Packing unit: 6

▶ Product description

- Improved formula increases the cleaning and shine effect by up to 30%
- Application in cockpits, on door trims, foot mats and seats (except displays and tachometers)
- Loosens grease residue
- Leaves the vehicle looking and smelling new
- Acts anti-statically

01



02

Rubber care pen

Rubber Fit

- ▶ Item no. 2897-335-75
- ▶ Contents: 75 ml
- ▶ Packing unit: 12

▶ Product description

- silicone-free
- splash- and saltwater resistant
- Rubber Fit is a silicone-free care product for rubber components and seals in passenger cars.
- It contains natural waxes and beneficial additives, as well as being resistant to splash water, salt water, alkalis and acids.
- Treated rubber components remain soft and supple, thus preventing cracks. Painted or chrome-plated parts are not damaged by the active substance and its water-repellent properties hinder the freezing of rubber seals in the winter.
- Rubber Fit is bio-degradable.

02



01

Odour destructor

Aerofit Plus

- ▶ Item no. 2000-309-2
- ▶ Contents: 1 litre
- ▶ Packing unit: 1

▶ **Product description**

- Can be used on all fabric surfaces inside the vehicle as well in ventilation ducts without sensors
- Effectively eliminates all unpleasant odours, e.g. nicotine
- Solvent-free
- Can be applied using a normal spray or pressure pump spray bottle
- Also very easy to apply using a wet vacuum cleaner or nebuliser
- Silicone-free

02

Odour eliminator and air freshener

Aerofit Fresh

- ▶ Item no. 2000-309-600
- ▶ Contents: 600 ml
- ▶ Packing unit: 12

▶ **Product description**

- Quick to work
- Does not leave any marks
- Biological fragrance
- Removes bad smells
- No heavy metals
- Simple to use
- A little goes a long way
- Citrus fragrance



01



02





01

Odour neutralizer and air freshener

Aerofit Fresh Power

- ▶ Item no. 2000-309-410
- ▶ Contents: 400 ml
- ▶ Packing unit: 12

▶ **Product description**

- Eliminates smells, long-lasting and economical
- Fragrance: coolwater

02

Odour destroyer and air freshener

Aerofit Power

- ▶ Item no. 2000-309-400
- ▶ Contents: 400 ml
- ▶ Packing unit: 12

▶ **Product description**

- Immediately eliminates smells and freshens the interior
- Long-lasting and economical
- A high-pressure system with an extremely concentrated active ingredient
- One squirt is sufficient for a large area
- Raspberry fragrance



01

02



**IF BLUE
THEN NORMFEST!**

The new Normfest
power tools.

NEW
IN OUR
ASSORTMENT

01
Winkelpolierer Normfest
1400 Watt

▶ Item no. 7983-001-1

▶ **Product description**

- Leistung: 1400 Watt
- Drehzahl: 700 – 3.300 U/min
- für Teller-Ø: 150mm
- Spindel: M14
- Gewicht: 2.4 kg
- Verpackung: Karton
- Lieferumfang: Maschine OHNE Zubehör
- Konstantelektronik
- Überlastschutz
- Wiederanlaufschutz
- Antivibrationssystem
- Magnesium-Getriebegehäuse
- Abschaltkohlebürsten



01
Medium polishing sponge

Colour: orange

- ▶ Item no. 2000-352-75
- ▶ Diam. 75 mm, PU 4

- ▶ Item no. 2000-352-150
- ▶ Diam. 150 mm, PU 2

▶ **Technical specifications**

- Medium-hard polishing sponge
- Perfect for treating used and weathered paintwork
- Suitable for use with grinding and polishing pastes
- Polish and seal in one step



02
Hard polishing sponge

Colour: yellow

- ▶ Item no. 2000-351-75
- ▶ Diam. 75 mm, PU 4

- ▶ Item no. 2000-351-150
- ▶ Diam. 150 mm, PU 2

▶ **Technical specifications**

- High intake capacity for abrasive pastes
- Perfect for removing heavy scratches



03
Soft polishing sponge

Colour: black

- ▶ Item no. 2000-353-75
- ▶ Diam. 75 mm, PU 4

- ▶ Item no. 2000-353-150
- ▶ Diam. 150 mm, PU 2

▶ **Technical specifications**

- Perfect for applying fine polishing pastes and surface sealants
- Suitable for removing holograms



04
Spider polishing sponge

Colour: blue with excenter

- ▶ Item no. 2000-355-150
- ▶ Diam. 150 mm, PU 2

▶ **Technical specifications**

- Has fine cuts throughout so that the polish is absorbed into the sponge more effectively and therefore can be worked into the paint surface for longer
- Can withstand the high stroke of our excenter polishing machine very effectively
- Ideal for use with the polishing pastes Scratch Off Ultra and Scratch Off Medium



01

Waffle polishing sponge

Colour: black

- ▶ Item no. 2000-354-75
- ▶ Diam. 75 mm, PU 4

- ▶ Item no. 2000-354-150
- ▶ Diam. 150 mm, PU 2

▶ **Technical specifications**

- With integrated interface pad
- Extremely soft sponge
- Ideal for removing holograms



01

02

Lambskin

Colour: white

- ▶ Item no. 2000-350-75
- ▶ Diam. 75 mm, PU 4

- ▶ Item no. 2000-350-150
- ▶ Diam. 150 mm, PU 2

▶ **Product description**

- with integrated interface pad
- Extremely aggressive abrasive medium
- High intake capacity for abrasive pastes
- Perfect for removing heavy scratches, orange peel effect and dust inclusions



02

03

Application sponge

black

- ▶ Item no. 2000-209-130
- ▶ Diam. 130 mm, PU 1

▶ **Product description**

- Ergonomic handle for easy and safe use with:
- Speed-Wax wax sealant (art. no. 2000-330-1)
- Speed Gloss Nano rapid sealant (art. no. 2000-316)



03

04

3in1 hook-and-loop polishing disks

- ▶ Item no. 4666-075-150

▶ **Product description**

- Consists of three different-sized hook-and-loop disks: 75mm, 120mm and 145 mm
- No more resetting of hook-and-loop holder disks to different sizes
- Suitable for all of our polishing sponges and sheepskins
- Provides high flexibility
- Has an M14 machine retainer



04

05

Velcro disc

- ▶ Item no. 4666-150-1
- ▶ Ø 150 mm

- ▶ Item no. 4666-075-1
- ▶ Ø 75 mm

▶ **Product description**

- With Velcro-type attachment for polishing sponges
- M14 mounting thread




05

01

Insect sponge
extra strong

- ▶ Item no. 2000-601
- ▶ 110 x 70 x 40 mm



01

02

Car sponge
Classic

- ▶ Item no. 2000-602
- ▶ 180 x 120 x 65 mm



02

05

Car sponge
Hydro

- ▶ Item no. 2000-602-1
- ▶ 195 x 120 x 70 mm

- ▶ Product description
- With ergonomic design
- Very absorbent




05



03

Car sponge
pressed viscose sponge

- ▶ Item no. 2000-604
- ▶ 130 x 90 x 10 mm



03

04

Wheel rim sponge

- ▶ Item no. 2000-603
- ▶ 165 x 105 x 53 mm

- ▶ Product description
- Dimensions: 165 x 105 x 53 mm



04

06

Dirt brush
with bow-type handle and scraping edge

- ▶ Item no. 2000-105

- ▶ Product description
- Length: 160 mm
- Bristle length: 25 mm



06

**01
Microfibre cloth red**

- ▶ Item no. 2000-740-40
- ▶ 400 x 400 mm

- ▶ Product description
- High pile
- Rounded corners
- Dimensions: 40 x 40 cm
- Colour: red
- Wash at up to 40 °C
- Dry at up to 30 °C
- Do not use softeners or bleach



01

**02
Microfibre cloth blue**

- ▶ Item no. 2000-640-40
- ▶ 400 x 400 mm

- ▶ Product description
- 40 x 40 cm
- Wash at up to 40 °C
- Dry at up to 30 °C
- Do not use softeners or bleach



02

**05
Microfibre cloth**

- ▶ Item no. 2000-840-60

- ▶ Product description
- Dimensions: 40 x 60 cm
- Colour: Blue
- medium high pile
- very soft
- high-grade workmanship
- washable up to 40 °C
- not suitable for dryers
- Do not use softeners or bleaching agents when washing!



05

**06
Microfibre cloth**

- ▶ Item no. 2000-940-60

- ▶ Product description
- Dimensions: 40 x 60 cm
- Colour: Purple
- high-grade workmanship
- lint-free cleaning
- washable up to max. 60°C
- purple
- not suitable for dryers
- 2 pieces per package



06

**03
Microfibre cloth**

- ▶ Item no. 2000-840-40
- ▶ 400 x 400 mm

- ▶ Product description
- Streak-free shine if a flash
- Reinforced weave with patterned surface
- Can be used wet and dry
- Lint free



03

**04
Premium microfibre cloth**

- ▶ Item no. 2000-745-40
- ▶ 400 x 400 mm

- ▶ Product description
- Extremely soft plush cloth
- Scratch-free polishing out of polish residue
-
- Wash at up to 40 °C
- Dry at up to 30 °C
- Do not use softeners or bleach



04

**07
Tornador® Towel**
Drying cloth

- ▶ Item no. 2000-766-43
- ▶ 660 x 430 mm

- ▶ Product description
- Very soft
- Washable at 30° C
- Resistant to most oils, grease and chemicals
- For gentle drying of all delicate surfaces
- Dries without streaking or lint



07

01

Carbon sanding block

- ▶ Item no. 4675-001-500
- ▶ 1,500 grit, yellow

- ▶ Item no. 4675-002-000
- ▶ 2,000 grit, green

- ▶ Item no. 4675-003-000
- ▶ 3,000 grit, red

▶ **Product description**

- For removing scratches levelling unevenness



01

02

Abrasive fleece pads

Ultra fine, grey

- ▶ Item no. 4585-455
- ▶ Pads 152 mm x 229 mm

▶ **Product description**

- With 1,500 grit
- Highly flexible
- Greater performance due to innovative scattering
- For wet and dry applications
- Also suitable for pet hair
- Grit material: Aluminium oxide ultra fine
- Binding agent: Synthetic resin
- Carrier material: Fleece
- Coating: Total coating, three-dimensional
- Colour: Grey



02

03

Pet hair removal brush

with rubber V bristles

- ▶ Item no. 2000-107

▶ **Product description**

- Completely removes animal hair, dust and other small particles
- Handle can be rotated 90°, facilitating work in corners
- With rubber lip for removing water and snow from windcreens



03

04

Fleece roll

perforated, 400 pcs. to tear off

- ▶ Item no. 7875-500
- ▶ 29 x 38 cm

▶ **Product description**

- Colour: White
- Highly absorbent
- Excellent tear and wear strength, wet or dry,
- Washable and wringable
- Solvent-resistant
- Silicone-free
- Food safe
- Perforated
- 400 perforations
- Roll length: 152m



04

05

Cellulose pads roll

2-ply, 750 pcs. to tear off

- ▶ Item no. 7875-1
- ▶ 27 x 40 cm, PU: 2

▶ **Product description**

- Roll length: 255 m
- Colour: white
- Very absorbent
- 2-ply
- Dimensions: 23.5 x 34 cm



05



01
Cleaning paper roll
2-ply, 1,000 tear-off sheets

- ▶ Item no. 7875-502
- ▶ 22 x 36 cm embossed, fully coated

- ▶ Item no. 7875-503
- ▶ 36 x 38 cm embossed, fully coated

- ▶ Product description
- Colour: blue
- PU: 2



01

02
Cleaning paper roll
3-ply, 1,000 tear-off sheets

- ▶ Item no. 7875-504
- ▶ 38 x 36 cm

- ▶ Product description
- Layers: 3
- Tear-off sheets: 1,000 / roll
- Sheet size: 38 x 36 cm
- Roll diameter: 29cm
- Roll length: 350m
- Colour: blue
- embossed, fully bonded
- Packaging unit: 2 pieces



02

03
Rolls of lint-free fleece cloth
500 tear-off sheets per roll, 38x30 cm

- ▶ Item no. 7875-505
- ▶ 38x30 cm

- ▶ Technical specifications
- Lint free
- Can be used wet and dry
- Biodegradable
- Components: 55% sawdust – 45% polyester (no binding agents)
- Colour: Turquoise
- Solvent resistant
- Highly absorbent
- Sold as a double roll
- 500 tear-off sheets per roll
- Sheet height: 38 cm
- Sheet width: 30 cm



03

04
Fibre fleece cleaning cloth
perforated, 400 pcs. to tear off

- ▶ Item no. 7875-5
- ▶ 29 x 39 cm

- ▶ Product description
- Very absorbent
- High cotton content
- Can be wrung out
- Tear resistant
- Resistant to most solvents
- 2 rolls per pack
- 400 cloths per roll
- 29 x 38 cm
- Perforated for easy tearing
- Textile cloths (70% cotton, 15% synthetic fibres, 15% PP)



04

01

Pressure pump spray bottle 1 litre

► Item no. 2897-333-100

► Product description

- Operational overpressure 3 bar
- Suitable replacement sealant (optionally available):
Art. no. 2897-333-101
- Empty
- Capacity 1 litre
- Labels to improve identification separately available
- For filling with the following Normfest products:
- Bremtec brake cleaner
- Power-Star tar remover
- Motor-Fit engine compartment conservation
- Oxim rust remover



01

02

Pump spray bottle

for acidic liquids

► Item no. 2897-333-150

► Product description

- Operational pressure 3 bar
- Suitable replacement seal: (optionally available):
Art. no.: 2897-333-151
- Empty
- Capacity 1 litre
- Labels to improve identification separately available
-
- For filling with the following Normfest products:
- Rimol wheel rim cleaner
- Rimol Gold wheel rim cleaner
- Mega-Star rust-film remover



02

03

Pump spray bottle 1 litre

► Item no. 2000-100

► Product description

- Operational overpressure 3 bar
- Suitable replacement sealant (optionally available):
Art. no. 2000-101
- Empty
- Capacity 1 litre
- Labels to improve identification separately available
-
- For filling with the following Normfest products:
- Uni-Star universal cleaner
- All-Star power cleaner
- Interno intensive interior cleaner & care
- Stries glass cleaner
- Cover-Star awning cleaner
- Topas intensive windscreen cleaner
- All-Star Protect powerful cleaner and degreaser
- Indoor interior plastic care
- Outdoor rubber care
- Insect-Star Extreme insect remover



03

04

Processing bottle

No closure

► Item no. 2000-356-500

► 500 ml

► Item no. 2000-356-1

► 1 litre

► Product description

- Empty processing bottle for filling with any chemical product from the Normfest preparation range



04

05

Push-pull closure

Colour: white

► Item no. 2000-356-2



05


01

Hand sprayer

► Item no. 2000-802

► Product description

- Leak-proof
- Smoothly adjustable nozzle from fine spray to jet



01

02

Hand sprayer

► Item no. 2000-802-1

► Product description

- For 1-litre bottles
- Leak-proof
- Smoothly adjustable nozzle from fine spray to jet



02

03

Manual sprayer flexible

► Item no. 2000-802-2

► Product description

- Suitable for overhead work
- Leak-proof, with Viton seal
- Steplessly adjustable nozzle – from fine spray to jet



03

04

Pressure sprayer

for all Normfest cleaners

► Item no. 2000-806

► Without hand pump; with closure

► Product description

- 5 litre plastic container
- 4 bar operating pressure
- with litre scale
- Chemical-resistant Viton seals
- 1.5 m chemical-resistant spray hose
- 50 cm curved stainless steel spray tube
- Flat spray nozzle with stainless steel head, diameter 0.91 mm
- Relief valve
- Compressed air connection
- Integrated feed hopper
- Stainless steel revolver valve

05

Spare closure

► Item no. 2000-806-2

06

Hand pump

For Uni-Star, All-Star and Topas

► Item no. 2000-806-1



04

06

05

01

Excenter polishing machine

Tornador Ø 150 mm

▶ Item no. 8697-114-13

▶ Product description

- max. polishing pad diameter: 180 mm
- Max. supporting disk Ø: 150 mm
- Speeds: 1,700 - 4,200 rpm
- Eccentric movement: 21mm
- Power output: 900W
- 10-m cable
- Speed smoothly adjustable
- Detachable additional handle 240V/50Hz
- Weight: 4.28 kg



02

Mini angular polisher

With grip cover

▶ Item no. 8697-114-11

▶ Ø 160 mm

▶ Product description

- Max. supporting disk Ø: 125 mm
- Max. polishing pad diameter: 140 mm
- Weight: 1.9 kg
- Drive spindle: M14
- Power output 700 Watt
- Power consumption: 1,200 W
- Idle speed: 1,200 - 3,700 rpm



03

High pressure cleaner

HD 5/15 C Plus

▶ Item no. 2000-550-2

▶ Product description

- Extended trigger gun, with Easy Press
- Trigger gun with soft grip
- High-pressure hose 10 m
- Steel tube 850 mm
- Triple nozzle manual (0° / 25° / 40°)
- Anti-twist system
- Pressure switch control



04

Spray-extraction cleaner

Puzzi 8/1 C

▶ Item no. 2000-550-3

▶ Product description

- Spray hose 2.5 m, with integrated water feed
- Hand tool
- Power cable 7.5 m
- Upholstery nozzle

