



01

Multipurpose primer
 1K-Multi-Connector

- ▶ Item no. 2893-900-20
- ▶ Contents: 400 ml
- ▶ Packing unit: 12

Light grey



- ▶ Item no. 2893-900
- ▶ Contents: 400 ml
- ▶ Packing unit: 12

Dark grey



▶ Product description

- Recoatable without sanding
- With fan spray head
- Substrates: Galvanised sheet steel and aluminium, plastic, wood, etc.
- Particularly suitable for protecting the edges of filled areas
- Ideal for all difficult substrates, also suitable for plastic and wood

02

Base primer
 Baso Plus

- ▶ Item no. 2893-889
- ▶ Contents: 400 ml
- ▶ Packing unit: 24

Light grey



▶ Product description

- High filling properties
- Improved coverage due to increased number of pigments
- Temperature resistant up to 100°C
- Overpaintable with nitro, acrylic and water-based paints
- Fan spray head enables vertical and horizontal application




03

Primer filler
 2-component epoxy primer filler

- ▶ Item no. 2800-760
- ▶ Contents: 400 ml
- ▶ Packing unit: 6

Beige



▶ Product description

- Gloss level: matt
- Colour: beige
- Long-lasting corrosion protection on all surfaces, e.g. zinc, aluminium, steel, etc.
- Proportion of solid particles: 50-53% by weight on diluted paint (without propellant gas)



01



02



03

01

Spray paint

Corona

- ▶ Item no. 2893-886
- ▶ Contents: 400 ml
- ▶ Packing unit: 6

Black



- ▶ Item no. 2893-887
- ▶ Contents: 400 ml
- ▶ Packing unit: 1

Silver

▶ **Product description**

- Heat resistant up to 650°C
- Weatherproof
- Resistant to wear and abrasion
- Free of heavy metals

02

Wheel rim silver

Silver Star

- ▶ Item no. 2893-883
- ▶ Contents: 400 ml
- ▶ Packing unit: 24

Silver

▶ **Product description**

- Good coverage
- Abrasion resistant
- Car-wash resistant
- Resistant to de-icing salt, stone impacts, etc.
- Free from heavy metals: No lead, cadmium or chromium

03

Black matt RAL 9005

Kroma

- ▶ Item no. 2893-884
- ▶ Contents: 400 ml
- ▶ Packing unit: 24

Black

▶ **Product description**

- Very good coverage
- Light resistant
- High proportion of solid matter
- Scratch resistant

04

glossy black

Spray paint

- ▶ Item no. 2893-885
- ▶ Contents: 400 ml
- ▶ Packing unit: 24

Black

▶ **Product description**

- this RAL spray paint is characterised by its fine flowing texture and good, colour-true coverage



01



02



03



04

01

2K-Clear varnish

- ▶ Item no. 2800-770
- ▶ Contents: 400 ml
- ▶ Packing unit: 6

▶ Product description

- Weatherproof
- Resistant to chemicals
- Resistant to petroleum
- Excellent filling properties

02

Spot blender paint

- ▶ Item no. 2800-780
- ▶ Contents: 400 ml
- ▶ Packing unit: 6

▶ Product description

- corrects paint transitions when filling paint



03

03

Gun grip for spray cans

- ▶ Item no. 2893-900-2



01



02



04

04

Fan nozzle

- ▶ Item no. 2893-900-3



05

05

Sealable lid

for used aerosol cans

- ▶ Item no. 2897-999

01

Water-based silicone remover

1K Aqua

- ▶ Item no. 2800-725
- ▶ Contents: 400 ml
- ▶ Packing unit: 6

▶ **Product description**

- For dissolving silicone oils
- Strengthens adhesion
- High cleaning and degreasing effect
- To be applied to old paintwork, bright sheet metal and plastics

02

Silicone remover

- ▶ Item no. 2800-720
- ▶ Contents: 400 ml
- ▶ Packing unit: 6

▶ **Product description**

- Suitable for all cleaning tasks prior to and after painting, e.g. tar spatter, diesel exhaust particles, etc.



03

Adhesion promoter for polycarbonate headlamp lenses

1K Primer

- ▶ Item no. 2800-790
- ▶ Contents: 125 ml
- ▶ Packing unit: 1

▶ **Produktbeschreibung**

- Outstanding adhesive property
- High elasticity
- Does not affect light transmission
- Wide jet atomisation (spray pattern analogous to spray gun)
- Constant atomising pressure until the can is completely emptied
- Professional result




01



02




03

01

Scratch Off Ultra

Grinding paste, coarse

- ▶ Item no. 2000-341
- ▶ Contents: 1 kg
- ▶ Packing unit: 1

▶ **Technical specifications**

- entfernt tiefe und starke Kratzer
- entfernt Kratzer vollständig (ohne Füllstoffe)
- Verarbeitung ohne Wasser
- lange Verarbeitungszeit
- hinterlässt einen einzigartigen Tiefenglanz
- silikonfrei

- Rotative Maschinen: 1.500 – 2.000 U/min
- Exzenter Maschinen: 1.700 – 2.200 U/min

Processing

Spider sponge

Polishing sponge, yellow

Natural lambskin

Repolishing

Microfibre cloth red

Microfibre cloth blue



01

02

Scratch Off Medium

Grinding paste, medium

- ▶ Item no. 2000-342
- ▶ Contents: 1 kg
- ▶ Packing unit: 1

▶ **Technical specifications**

- Removes medium scratches
- Removes scratches completely (without fillers)
- Can be processed without water
- Long process time
- Leaves behind a unique high-gloss finish
- Silicone-free
-

- Rotary machines: 1,000 – 1,800 rpm
- Excenter machines: 1,700 – 2,200 rpm

Processing

Spider sponge

Polishing sponge, yellow

Polishing sponge, orange

Repolishing

Microfibre cloth red

Microfibre cloth blue



02



03

Scratch Finish

Grinding paste, fine

- ▶ Item no. 2000-343
- ▶ Contents: 1 kg
- ▶ Packing unit: 1

▶ **Technical specifications**

- Removes light scratches
- Removes scratches completely (without filler)
- Long process time
- Leaves behind an excellent high gloss
- Can be processed by hand
- Silicone and wax-free
-

- Rotary machines: 800 – 1,500 rpm
- Excenter machines: 1,700 – 2,200 rpm

Processing

Waffle sponge

Polishing sponge, black

Polishing sponge, orange



03

01

Perfect Gloss

High-gloss polish

- ▶ Item no. 2000-344-500
- ▶ Contents: 500 ml
- ▶ Packing unit: 1

- ▶ Item no. 2000-344-5
- ▶ Contents: 5 litres
- ▶ Packing unit: 1

▶ **Technical specifications**

- Removes holograms
- Leaves behind a long-lasting deep gloss and protection
- Contains no volatile silicones
- Can be processed by hand
- Rotary machines: 800 - 1,500 rpm
- Excenter machines: 1,700 - 2,200 rpm

02

Push-pull closure

Colour: white

- ▶ Item no. 2000-356-2



02

Processing
Waffle sponge
Polishing sponge, black
Application sponge, black



03

Starter kit for paint preparation

11-piece kit

- ▶ Item no. 2000-003

Contents:

- 1x Coarse grinding paste, Scratch Off Ultra
- 1x Medium grinding paste, Scratch Off medium
- 1x Fine grinding paste, Scratch Finish
- 1x High-gloss polish, Perfect Gloss
- 1x Medium polishing cloth, orange
- 1x Soft polishing cloth, black
- 1x Hard polishing cloth, yellow
- 1x Lambskin, white
- 1x Premium micro-fibre cloth
- 1x Microfibre cloth, red

04

Matting paste

Scraper

- ▶ Item no. 2000-314-1
- ▶ Contents: 1 litre
- ▶ Packing unit: 1

▶ **Technical specifications**

- Conditions surfaces for areas to be painted in
- designed specifically for use with non-woven web
- increases grinding



01



03



04

01

Quick sealant
Speed-Gloss-Nano

- ▶ Item no. 2000-316-1
- ▶ Contents: 1 litre
- ▶ Packing unit: 1

- ▶ Item no. 2000-316-5
- ▶ Contents: 5 litres
- ▶ Packing unit: 1

- ▶ **Product description**
- Perfect shine effect
- Effortless polishing without leaving any sticky residue
- Suitable for cleaning without water
- Contains carnauba wax

Processing
Application sponge, black
Premium microfibre cloth, grey



01

02

Wax sealing
Speed-Wax

- ▶ Item no. 2000-330-1
- ▶ Contents: 1 kg
- ▶ Packing unit: 1

- ▶ **Product description**
- Natural carnauba wax, enriched with high-quality synthetic components
- For manual and machine application
- Permanent protection against the elements
- Long-lasting shine

- Rotary machines: 1,500 – 2,000 rpm
- Excenter machines: 1,700 – 2,200 rpm

Processing
Waffle sponge
Polishing sponge, black
Application sponge, black
Microfibre cloth, grey



02

03

Long-term sealant
Paint Guard

- ▶ Item no. 2000-331-500
- ▶ Contents: 500 ml
- ▶ Packing unit: 1

- ▶ **Technical specifications**
- Application by hand
- Extra UV protection for long-lasting maintenance of the paint layer
- Leaves behind a deep gloss
- Free of volatile silicones

Processing
Application sponge, black
Premium microfibre cloth, grey



03

04

Long-term surface-protection sealant
Pearl

- ▶ Item no. 2897-327
- ▶ Contents: 500 ml
- ▶ Packing unit: 6

- ▶ **Product description**
- Protective coating & gloss enhancer
- Increases scratch resistance and repels dirt
- Easy to apply and polish
- Takes just 10 minutes to cure
- Solvent free
- Contains silicone

Processing
Premium microfibre cloth, grey



04

01

**Fibreglass putty incl. hardener
(2893-139)**

Compound

- ▶ Item no. 2893-109-9
- ▶ Contents: 1.8 kg
- ▶ Packing unit: 4

Product description

- For filling small surfaces, unevenness and grooves
- Adheres to roughened and metallic surfaces as well as to many plastics



01

02

**Multisoft filler with curing agent
(2893-139)**

Multi

- ▶ Item no. 2893-101-9
- ▶ Contents: 2 kg
- ▶ Packing unit: 4

Product description

- For filling large cavities
- Adheres to aluminium, plastics, steel and galvanised steel



02

03

**Universal filler with curing agent
(2893-139)**

Uni

- ▶ Item no. 2893-106-9
- ▶ Contents: 2 kg
- ▶ Packing unit: 4

Product description

- For filling small surfaces, unevenness and grooves
- Adheres to aluminium, plastics and steel (but not to galvanised steel)



03

04

**Fine filler with curing agent
(2893-139)**

Finish

- ▶ Item no. 2893-112-9
- ▶ Contents: 2 kg
- ▶ Packing unit: 4

Product description

- for filling small areas, ridges and grooves
- adheres to aluminium, plastics, steel and galvanised steel



04

05

**Aluminium filler with curing agent
(2893-139)**

Aluminium

- ▶ Item no. 2893-103-9
- ▶ Contents: 1.8 kg
- ▶ Packing unit: 4

Product description

- For filling large cavities as well as parts exposed to vibrations and oscillations
- Adheres to aluminium, plastics and galvanised steel



05



06

Body filler application set

- ▶ Item no. 8715-65-00

Product description

- 4 blades
- Acid-proof plastic grips

07

Plastic smoothing spatula

- ▶ Item no. 2893-164
- ▶ PU: 10

07



01
Angle polisher Normfest
1400 Watt

► Item no. 7983-001-1

► Product description

- Power output: 1400 Watt
- Speed: 700 - 3,300 rpm
- for plate Ø: 150mm
- Spindle: M14
- weight: 2.4 kg
- Packaging: Cardboard
- Scope of delivery: Machine WITHOUT accessories
- constant electronics
- overload protection
- restart protection
- anti-vibration system
- Magnesium gearbox housing
- Carbon brushes for shutdown



02
NORTON ICE Finish Discs

► Product description

- less effort
- waterproof and washable
- reusable
- perfect finish
- water-absorbing foam underlay adapts optimally to the surface with even pressure distribution
- Constant grinding result throughout the entire service life
- high surface quality and low roughness depths

Item no.	Discs Ø	Graining
4672-150-0	80	1500
4672-200-0	80	2000
4672-300-0	80	3000



03
ABRALON Grinding wheels
Ø 150 mm, unperforated

► Product description

For the surface structuring of paints, fillers, coating varnishes, clear varnishes, plastics and composite plastics.


Self-cleaning

Water and air are set in motion by applying pressure to the Abralon disc.

Thus circulating the grinding material.

This results in the grinding debris and dust being transported into the foam underlay.

Item no.	Discs Ø	Graining
4587-360	150	360
4587-500	150	500
4587-600	150	600
4587-100-0	150	1000
4587-200-0	150	2000
4587-300-0	150	3000
4587-400-0	150	4000




01

Velcro discs

Diameter 150 mm Norton Multi-Air
181 perforated holes Norgrip

Item no.	Graining
4651-080	80
4651-012-0	120
4651-015-0	150
4651-018-0	180
4651-022-0	220
4651-024-0	240
4651-032-0	320
4651-036-0	360
4651-040-0	400
4651-050-0	500
4651-060-0	600
4651-080-0	800



03

Sanding Disc Velcro Norton Multi-Air

Ø 150 mm

- ▶ Item no. 4666-150-3
- ▶ medium

- ▶ Item no. 4666-150-4
- ▶ soft




02

Velcro discs

ø 150 mm – Norton Multi-Air
perforated 181-fold – Soft

Item no.	Graining
4651-320	320
4651-400	400
4651-500	500
4651-800	800
4651-100-0	1000
4651-150-0	1500



04

Sanding discs-Velcro Multi


Diameter 150 mm, medium

- ▶ Item no. 4666-150-69

▶ Product description

Technical data:
Thread 5/16"

- Sanding disc series E with dust extraction
- Extraction will all common hole patterns
- Contact surface for Velcro-type systems or self-adhesive sandpaper
- Micro Velcro type fastening




01

Velcro-type discs

Diameter 150 mm, Normfest, 15 perforated holes

Item no.	Graining
4515-010-0	100
4515-012-0	120
4515-015-0	150
4515-018-0	180
4515-022-0	220
4515-024-0	240
4515-032-0	320
4515-040	40
4515-040-0	400
4515-050-0	500
4515-060	60
4515-080	80




02

Hook & loop disks, 15 holes

Diameter 150 mm, Mirka Gold, 15 perforated holes

Item no.	Graining
4615-010-0	100
4615-012-0	120
4615-015-0	150
4615-018-0	180
4615-022-0	220
4615-024-0	240
4615-032-0	320
4615-040	40
4615-040-0	400
4615-050-0	500
4615-060	60
4615-080	80



03

3in1 hook-and-loop polishing disks

▶ Item no. 4666-075-150

▶ Product description

- Consists of three different-sized hook-and-loop disks: 75mm, 120mm and 145 mm
- No more resetting of hook-and-loop holder disks to different sizes
- Suitable for all of our polishing sponges and sheepskins
- Provides high flexibility
- Has an M14 machine retainer



04

Polish Flex angle polisher

With powerful 1,400 Watt motor


▶ Item no. 8697-114-12

▶ Product description

- Max. polishing pad diameter: 200 mm
- Max. supporting disk Ø: 150 mm
- Idling speed: 380-2100 /min
- Power consumption: 1,400 W
- Power output: 880 Watt
- Tool retainer: M 14
- Dimensions (L x H): 402x117 mm
- Weight: 2.3 kg



- A handle is included in the package
- The associated replacement carbon brushes are available under article number 8697-114-120




01

Vibrating grinding paper

Strips 115 x 280 mm,
yellow, perforated 10-fold

Item no.	Graining
4676-040	40
4676-060	60
4676-080	80
4676-012-0	120
4676-018-0	180
4676-024-0	240




01

03

Vibrating grinding paper

Strips 115 x 280 mm,
yellow, non-perforated

Item no.	Graining
4676-40	40
4676-60	60
4676-80	80
4676-100	100
4676-120	120
4676-150	150
4676-180	180



03

02

Vibrating grinding paper

Rolls each 50 m, width 115 mm,
yellow, non-perforated

Item no.	Graining
4677-040	40
4677-060	60
4677-080	80
4677-010-0	100
4677-012-0	120
4677-015-0	150
4677-018-0	180
4677-024-0	240




02

04

Abrasive fleece holder

empty

► Item no. 7100-002-07



04

01

Sanding strips

70 mm x 420 mm

► **Product description**

- For the quick stripping of old paint, sanding of body filler and removal of sharp edges and rough surfaces
- Excellent grain adhesion
- Long service life
- Flexible and robust



Item no.	Graining	Figure
4652-60	60	1
4652-80	80	2
4652-120	120	3



02

Sanding block

For sanding strips

► Item no. 4652-70-400

► **Product description**

- Ergonomically designed to reduce fatigue and physical stress
- The moulded plastic body ensures high resistance and longevity
- With valve for regulating the suction power and optimising the air/dust extraction




03

Carbon sanding block

- Item no. 4675-001-500
- 1,500 grit, yellow
- Item no. 4675-002-000
- 2,000 grit, green
- Item no. 4675-003-000
- 3,000 grit, red

► **Product description**

- For removing scratches levelling unevenness



01

Sandpaper 3M 312

Sheet 230 x 280 mm
waterproof

Item no.	Graining
4685-240	240
4685-280	280
4685-320	320
4685-400	400
4685-500	500
4685-600	600
4685-800	800
4685-100-0	1000
4685-120-0	1200
4685-150-0	1500
4685-200-0	2000



01

02

Sandpaper

Sheet 230 x 280 mm
waterproof

Item no.	Graining
4673-80	80
4673-120	120
4673-180	180
4673-240	240
4673-320	320
4673-360	360
4673-400	400
4673-600	600
4673-800	800
4673-100-0	1000
4673-120-0	1200



02

03

Emery cloth, brown

25 m x 40 mm

Item no.	Graining
4674-40-40	40
4674-40-60	60
4674-40-80	80
4674-40-100	100
4674-40-120	120

50 m x 50 mm

Item no.	Graining
4674-50-40	40
4674-50-60	60
4674-50-80	80
4674-50-100	100
4674-50-120	120
4674-50-180	180




03

04

Sand cloths

blue, sheet 230 x 280 mm

Item no.	Graining
4671-40	40
4671-60	60
4671-80	80
4671-120	120
4671-180	180



04

01

Abrasive fleece

very fine, red

01 / 2



01 / 1



Item no.	Model	Figure
4585-451-10	Roll 115 mm x 10 m	1
4585-451	Pads 152 mm x 229 mm	2

02

Abrasive fleece

ultra fine, grey

02 / 2



02 / 1



Item no.	Model	Figure
4585-455-10	Roll 115 mm x 10 m	1
4585-455	Pads 152 mm x 229 mm	2

03

Soft abrasive paper roll

115 mm x 20 m

Item no.	Graining	Item no.	Graining
4586-150	150	4586-320	320
4586-180	180	4586-400	400
4586-220	220	4586-500	500
4586-240	240	4586-600	600
4586-280	280	4586-800	800



03

04

Masking paper

Fully glued, length 300 m

► Product description

- DIN-tested quantity
- High paint thickness
- Smooth on one side
- Guaranteed running length
- Caution: In the case of paints with a viscosity < 19 sec., carry out paint test in advance; if necessary, tape off edges with double-thickness of 20 cm paper.

Item no.	Model
7875-800-022	20 cm
7875-800-060	60 cm
7875-800-090	90 cm
7875-800-120	120 cm
7875-800-150	150 cm



04

05

Foam Plus foam profile

self-adhesive

Item no.	Model
4582-13	50 m with 13 mm
4582-17	17 mm per 40 m



05



01
Waterproof masking tape
Green


- ▶ Technical specifications
- Roll length: 50 meters
- silicone-free
- clean and precise masking with sharp edges
- suitable for waterborne paint systems
- excellent adhesion to rubber and metal
- easy to remove without adhesive residue
- Adhesive consists of solvent-based rubber
- heat resistant up to one hour at 130°C



Item no.	Tape width
4992-940	19
4992-941	25
4992-942	38
4992-943	50

02
Contour tape
Rolls each 50 m

- ▶ Item no. 4585-12
- ▶ Technical specifications
- for masking doors prior to painting
- leaves no residue
- weatherproof
- heat resistant approx. 120°C for 1 hour
- designed to suit every shape
- no creases and wrinkles
- Width: 19 mm
- Length: 50 m
- Colour: yellow



03
Contour tape
Rolls each 33 m

- ▶ Item no. 4585-11
- ▶ Technical specifications
- Ideal for sticking down curves
- Particularly flexible
- Thermally stable to 70°C for one hour
- Solvent-proof and waterproof
- No edge warping when sticking curves
- Width: 6 mm
- Length: 33 m
- Colour: blue



01

Thermo-tape 110 – brown

Rolls each 50 m

► Product description

Heat resistance

120°C > 30 minutes

100°C > 1 hour

- does not leave behind any adhesive residue on the vehicle body
- perfectly suitable for wet grinding work
- adhesive power works immediately
- resistant to solvents

Item no.	Tape width
4993-119	18 mm
4993-125	24 mm
4993-130	30 mm
4993-138	36 mm
4993-150	48 mm



01

02

Thermo-tape 80 – white

Rolls each 50 m

► Product description

Heat resistance

100°C > 30 minutes

80°C > 1 hour

- does not leave behind any adhesive residue on the vehicle body
- perfectly suitable for wet grinding work
- adhesive power works immediately
- resistant to solvents

Item no.	Tape width
4993-519	19 mm
4993-525	25 mm
4993-530	30 mm
4993-538	38 mm
4993-550	50 mm



02

03

Stego tape

self-adhesive

Item no.	Insertion depth	Length
4682-009	9 mm	10 m
4682-018	18 mm	10 m
4682-025	25 mm	10 m



03

04

Protective cap for paintwork

25 pcs. to tear off

► Item no. 7875-912

► 630 x 400 cm



04

01

HDPE paint protection film

9 μ, 5 m x 150 m

▶ Item no. 7875-914

▶ Technical specifications

- Anbringung nur auf absolut trockenen Fahrzeugen!
- Stärke: 9μ
- statisch
- lackhaftend
- überlackierbar
- Infrarot beständig
- Material: HDPE
- hitzebeständig bis 110°C
- Einwirkung von UV-Strahlung ist zu vermeiden!



01

03

Paint protective film

15 μ, 4 m

▶ Item no. 7875-917

▶ 4 x 200 m

▶ Technical specifications

- Tensile strength lengthwise 24 N/mm²
- Tensile strength crosswise 17 N/mm²
- Exceptional paint adhesion
- Highly flexible and tear resistant
- Electrostatic charge attracts dust and dirt
- Microporous film, therefore 100% impervious to paint and water
- 15μ thick
- Very good cutting behaviour



03

04

Protective lacquer film

9 μ, 4 m x 300 m

▶ Item no. 7875-915

▶ 4 m x 300 mm

▶ Technical specifications

- Mounting only on absolutely dry vehicles!
- Thickness: 9μ
- static
- lacquer adherent
- recoatable
- Infrared resistant
- Material: HDPE
- heat resistant up to 110°C
- Avoid exposure to UV radiation!



02

04

Rim-varnish protective film

30 tear-off sheets

▶ Item no. 7875-918

▶ 130 cm x 130 cm

▶ Technical specifications

- Original Wondermask® WPS
- Excellent protection from varnish haze
- Save significant time and work
- Save cover tape and cover paper
- Highly-flexible polyethylene mix, free of heavy metals
- Tear-resistant, lint-free, waterproof and microsealed
- No touching-up required
- Colour: Blue



04

01

Dust bonding cloth

Standard

Item no.	Dimensions	Sales unit
2893-165	45 x 75 cm	5 cloths




01

02

Quick filter screen

Item no.	Dimensions
2893-163	190 µm ultra fine
2893-162	280 µm fine
2893-161	125 µm ultra fine



02

03

Dust bonding cloth

especially for water-based paints

Item no.	Dimensions	Sales unit
2893-166	38 x 43 cm	12 wipes



03

04

Paint mixing cup

Item no.	Model
2891-700-400	Colour mixing pots 400 ml
2891-702-231	Cover for colour mixing pots 2230 ml



04



01

Protective overall for paintwork

- ▶ Item no. 4899-500-3
- ▶ 52/54 L

- ▶ Item no. 4899-500-4
- ▶ 56/58 XL

- ▶ Item no. 4899-500-5
- ▶ 60/62 XXL

▶ **Product description**

- Certified to type 5 (particle-proof protective clothing) and type 6 (limited spray-proof protective clothing)
- Protects against electrostatic charges in accordance with EN 1149-1
- Tyvek overall



01

02

Paint spraying set

In a plastic storage box

- ▶ Item no. 7200-002-000

▶ **Product description**

- content:
- 1 x reusable half mask
- 2 x gas filter class A2 against organic gases and vapours (art. no. 7315-000-100)
- 2 x pre-filter casing cover
- 20 x spray paint pre-filter (art. no. 7415-000-100)
- 1 x reusable plastic storage box



02



01

Fine dust filter mask
FFP3, with exhalation valve

► Item no. 7915-000-300

► Technical specifications

- Standard EN 149:2001
- For use against solid and liquid aerosols
- Adjustable straps
- With exhalation valve
- With sealing lip
- Protection level FFP3
- Protection 30 times that of MAK value



01

02

Fine dust filter mask
FFP2, with exhalation valve

► Item no. 4899-12

► Technical specifications

- Standard EN 149:2001
- Protection against fine dust, hazardous materials and carcinogenic dust
- With exhalation valve
- Protection level FFP2
- Protection 10 times that of MAK value



02

02

Fine dust filter mask
FFP1, without exhalation valve

► Item no. 4899-11

► Technical specifications

- Standard EN 149:2001
- Protection against fine dust and non-toxic coarse particles
- Without exhalation valve
- Protection level FFP1
- Protection 30 times that of MAK value



03

01

Mini random orbital sander

30 mm

▶ Item no. 8696-1-81

▶ Product description

- No-load speed: 16,000 rpm
- Pad diameter: 50 mm Velcro-type model
- Stroke: 3.0 mm
- Weight: 0.7 kg
- Air pressure: 6.3 bar
- Air fitting: 1/4"
- Sound pressure: 80,4 dB/A
- Velcro-type pad: Incl. diameter 30 mm (4679-81-30)



01

02

Fineloc

With Velcro-type back Product description

- For sanding scratches and varnish runs

**Holder for mini sanding disks with hook & loop back****Diameter 30 mm**

4679-90-91

Diameter 30 mm


4679-31-150 1.500

4679-31-200 2.000

Diameter 75 mm

4679-33-150 1.500

4679-33-200 2.000



02

03

Mini one-hand right angle grinder

Low-noise and vibration-free

▶ Item no. 8696-1-80

▶ Product description

- Compressed air fitting: 1/4"
- Sound pressure: 83 dB/A
- Air pressure: 6.3 bar
- Weight: 0.8 kg
- Speed: 18,000 rpm
- Chuck: 6 mm
- Average air consumption: 220 l/min



03

04

Adapter for 8696-1-80

▶ Item no. 4679-99-8



04

05

Required air connection 1/4"

▶ Item no. 8699-510-14



05

06

Normloc reception system

Made from a hard polyurethane supporting disc

- ▶ Item no. 4679-90-94
- ▶ Diameter 30 mm, max. rpm: 40,000

- ▶ Item no. 4679-90-92
- ▶ Diameter 50 mm, max. rpm: 30,000

- ▶ Item no. 4679-90-93
- ▶ Diameter 75 mm, max. rpm: 20,000

- ▶ Item no. 4679-99-6
- ▶ Ø 6 mm incl. mounting shank



06

07

Lambswool cover, diameter 75 mm

POLISHLOC

▶ Item no. 4679-43



07

08

Velcro attachment

- ▶ Item no. 4679-91-93
- ▶ Ø 75 mm



08