



Vehicle parts passenger cars

01

**ABA hose clamps**► **Product description**

- 50% greater tensile load compared to standard worm-drive hose clamps
- Weld- and rivet-free casing made from one piece
- Embossed band with high edges prevents damage to the hose wall
- Short casing saddle guarantees optimal positive locking
- Hexagon socket screw with slot

Item no.	Clamping range
5538-008-012	8 - 12 mm
5538-010-016	10 - 16 mm
5538-012-020	12 - 20 mm
5538-016-025	16 - 25 mm
5538-020-032	20 - 32 mm
5538-025-040	25 - 40 mm
5538-032-050	32 - 50 mm



01

02

**Worm drive hose clamps**► **Product description**

- Tape and casing: stainless steel 1.4016
- Screw: steel, galvanised, bandwidth 9 mm,
- Wrench size 7 mm

Item no.	Clamping range
5539-008-16	8 - 16 mm
5539-012-20	12 - 20 mm
5539-016-25	16 - 25 mm
5539-020-32	20 - 32 mm
5539-025-40	25 - 40 mm
5539-032-50	32 - 50 mm
5539-040-60	40 - 60 mm
5539-050-70	50 - 70 mm
5539-060-80	60 - 80 mm
5539-070-90	70 - 90 mm
5539-080-100	80 - 100 mm



02

Item no.	Clamping range
5539-090-110	90 - 110 mm
5539-100-120	100 - 120 mm
5539-110-130	110 - 130 mm
5539-120-140	120 - 140 mm
5539-160-180	160 - 180 mm
5539-140-160	140 - 160 mm
5539-130-150	130 - 150 mm
5539-150-170	150 - 170 mm

03

**Hose clamps with worm drive and ondular washer**

With integrated spring insert, entirely made from special steel, band width 12mm

► **Product description**

- Hex drive screw Spanner width 7 mm with slot
- Evens out fluctuating diameters
- Self-activating tensioning effect when hose relaxes
- Increased sealing reliability over wide temperature range

Item no.	Clamping range
5539-216-27	16 - 27 mm
5539-220-32	20 - 32 mm
5539-225-40	25 - 40 mm
5539-230-45	30 - 45 mm
5539-235-50	35 - 50 mm
5539-240-60	40 - 60 mm
5539-250-70	50 - 70 mm
5539-260-80	60 - 80 mm



03

04

**Breeze hose clamps**► **Product description**

- Band and casing: Special steel A2
- Screw: steel, galvanised, slotted hexagon screw
- Screw flight, bandwidth 14.3 mm
- Wrench size 8 mm

Item no.	Clamping range
5547-11-20	10 - 20 mm
5547-16-25	16 - 25 mm
5547-20-32	20 - 32 mm
5547-25-40	25 - 40 mm
5547-32-50	35 - 50 mm
5547-40-60	40 - 60 mm
5547-50-70	50 - 70 mm
5547-60-80	60 - 80 mm
5547-70-90	70 - 90 mm
5547-80-100	80 - 100 mm
5547-90-110	90 - 110 mm
5547-100-120	100 - 120 mm
5547-110-130	110 - 130 mm

Item no.	Clamping range
5547-120-140	120 - 140 mm



04

01

**Single ear clamp**

With rustproof insert ring



Item no.	Ø range	Band
5541-070	5,6 - 6,5 mm	6,4 mm
5541-087	7,0 - 8,2 mm	6,4 mm
5541-095	7,5 - 9,0 mm	7,4 mm
5541-010-5	8,5 - 10,0 mm	7, mm
5541-011-3	9,1 - 10,8 mm	7,4 mm
5541-012-3	9,8 - 11,8 mm	7,4 mm
5541-012-8	10,3 - 12,3 mm	7,4 mm
5541-013-3	10,6 - 12,6 mm	8,2 mm

Item no.	Ø range	Band
5541-013-8	11,1 - 13,1 mm	8,2 mm
5541-014-5	11,8 - 13,8 mm	8,2 mm
5541-015-0	12,3 - 14,3 mm	8,2 mm
5541-015-5	12,8 - 14,8 mm	8,2 mm
5541-016-0	13,1 - 15,3 mm	8,2 mm
5541-016-8	13,9 - 16,1 mm	8,2 mm
5541-017-5	14,6 - 16,8 mm	8,2 mm

02

**Norma hose clamps  
with clamping jaw**

All parts fully steel galvanised



Item no.	Ø range	Band
5540-18-9	6 mm	7 mm
5540-20-9	8 mm	7 mm
5540-22-9	10 mm	9 mm
5540-18-12	12 mm	9 mm
5540-19-12	13 mm	9 mm
5540-25-15	15 mm	9 mm
	16 mm	9 mm
	18 mm	9 mm

	20 mm	9 mm
	22 mm	9 mm
	18 mm	12 mm
	19 mm	12 mm
	25 mm	15 mm

03

**Hose-clamp display**

► Item no. 5539-077-777

► Product description

- Tape and casing: stainless steel
- Screw: steel, galvanised
- Bandwidth 9 mm
- Wrench size 7 mm



Item no.	Model	Quantity
5539-008-16	8 - 16 mm	220xx
5539-012-20	12 - 22 mm	220xx
5539-016-25	16 - 27 mm	100xx
5539-020-32	20 - 32 mm	100xx
5539-025-40	25 - 40 mm	100xx
5539-032-50	32 - 50 mm	100xx
5539-040-60	40 - 60 mm	100xx
5539-050-70	50 - 70 mm	100xx
5539-060-80	60 - 80 mm	100xx
5539-070-90	70 - 90 mm	100xx
5539-85	Hazet hexagon screwdriver	1 x
7100-000-1	Die plate, 500 x 450 mm	1 x
7100-000-3	Tool holder tilted 150 mm	12 x
7100-000-5	430 mm	2 x
7100-000-305	Universal gripper clamp 19 mm	1 x
	Mounting material, screws and dowel pins	

04

**Mini hose clamp**

Bandwidth 5 mm, pre-assembled



Item no.	Clamping range
5541-7-11	7 - 11 mm
5541-9-16	9 - 14 mm
5541-10-19	10 - 19 mm

01

**Clic-R brackets**

rustproof chrome nickel steel

► **Product description**

- Suitable for fuel, cooling-, oil- and ventilation-circuits, shaft sleeve collars, LPG installation, all rubber and silicone hoses and shipping



Item no.	Closed Ø	Ø range	Band width	Colour
5537-066-70	7,0 mm	7,5 - 9,0 mm	6 mm	Black
5537-066-90	9,0 mm	9,5 - 11,0 mm	6 mm	purple
5537-066-105	10,5 mm	11,0 - 12,5 mm	6 mm	yellow
5537-086-115	11,5 mm	12,0 - 13,5 mm	8 mm	purple
5537-086-120	12,0 mm	12,5 - 14,0 mm	8 mm	Black
5537-086-125	12,5 mm	13,0 - 14,5 mm	8 mm	white
5537-086-130	13,0 mm	13,5 - 15,0 mm	8 mm	yellow
5537-086-140	14,0 mm	14,5 - 16,0 mm	8 mm	purple
5537-086-150	15,0 mm	15,5 - 17,0 mm	8 mm	white
5537-086-160	16,0 mm	16,0 - 18,0 mm	8 mm	green
5537-086-165	16,5 mm	17,0 - 19,0 mm	8 mm	purple
5537-086-185	18,5 mm	19,0 - 21,0 mm	8 mm	green

02

**Crimping tool straight**

For Clic-R brackets

► **Item no. 5537-1-75**

03

**Crimping tool curved**

For Clic-R brackets

► **Item no. 5537-2-75**

04

**Universal U-bolt clamp**

M8, completely assembled

Item no.	Ø in mm
5883-6	42
5883-7	45
5883-8	48
5883-85	50
5883-9	52
5883-11	58
5883-12	60



05

**Audi pipe clamp**

Complete with screw, nut and lock washer

Item no.	Ø in mm
5883-080	45,5
5883-082	42,5
5883-084	53,5
5883-086-2	46,7
5883-086-3	48,5
5883-086-5	51,5
5883-086-7	54,5



06

**Ford pipe clamp**

M10, copper-plated lock nut, fully installed

Item no.	Ø in mm	Item no.	Ø in mm
5883-043	43	5883-055	55
5883-045	45	5883-058	58
5883-048	48	5883-060	60
5883-050	50	5883-062	62
5883-051	51	5883-064	64
5883-053	53		



01

**Pipe support clamps**

- Product description
- Full galvanized steel
- RSGU
- Rubberized



Item no.	Pipe diameter	Band	Hole Ø	Item no.	Pipe diameter	Band	Hole Ø
5542-6-12	6 mm	12 mm	5,3 mm	5542-15-20	15 mm	20 mm	8,4 mm
5542-6-15	6 mm	15 mm	6,4 mm	5542-18-15	18 mm	15 mm	6,4 mm
5542-8-12	8 mm	12 mm	5,3 mm	5542-20-15	20 mm	15 mm	6,4 mm
5542-8-15	8 mm	15 mm	6,4 mm	5542-20-20	20 mm	20 mm	8,4 mm
5542-8-20	8 mm	20 mm	8,4 mm	5542-25-12	25 mm	12 mm	5,3 mm
5542-9-12	9 mm	12 mm	5,3 mm	5542-25-15	25 mm	15 mm	6,4 mm
5542-10-12	10 mm	12 mm	5,3 mm	5542-25-20	25 mm	20 mm	8,4 mm
5542-10-15	10 mm	15 mm	6,4 mm	5542-30-15	30 mm	15 mm	6,4 mm
5542-12-12	12 mm	12 mm	5,3 mm	5542-30-20	30 mm	20 mm	8,4 mm
5542-12-15	12 mm	15 mm	6,4 mm	5542-35-15	35 mm	15 mm	6,4 mm
5542-15-12	15 mm	12 mm	5,3 mm	5542-40-20	40 mm	20 mm	8,4 mm
5542-15-15	15 mm	15 mm	6,4 mm	5542-50-15	50 mm	15 mm	6,4 mm

02

**Wheel nuts Ford**

OE no. 1007487, 6040307, 1447852  
M12 x 1.5 galvanised  
Quality 8 Wrench size 19

- Item no. 6395-12-15

OE no. 1470843  
M12 x 1.5 galvanised  
Quality 10, Wrench size 19

- Item no. 6395-12-151



03

**Wheel nuts Mazda**

Mazda, Mitsubishi, Toyota  
OE no. Mazda 0603-26-161  
OE no. Mitsubishi MA103087  
OE no. Toyota 90942-01001-83  
M12 x 1.5 yellow passivated  
Quality 8 Wrench size 21

- Item no. 6395-012-15



04

**Wheel bolts Audi / VW**

Volkswagen / Audi OE-no. 8D0 601 139 D M14 x 1.5 x 25.5  
Geomet black FK 8.8 Wrench size 17

- Item no. 6395-214-15



05

**Threaded inserts**

Item no.	Internal thread model	External thread model
5660-3	M3 x 0,5	5,0 x 0,5
5660-4	M4 x 0,7	6,5 x 0,75
5660-5	M5 x 0,8	8,0 x 1,0
5660-6	M6 x 1,0	10,0 x 1,5
5660-8	M8 x 1,25	12,0 x 1,5
5660-10	M10 x 1,5	14,0 x 1,5
5660-12	M12 x 1,75	16,0 x 1,5
5660-14	M14 x 2,0	18,0 x 1,5



06

**Inserting tool for manual assembly**

Item no.	Internal thread model	External thread model
5660-103	M3 x 0,5	5,0 x 0,5
5660-104	M4 x 0,7	6,5 x 0,75
5660-105	M5 x 0,8	8,0 x 1
5660-106	M6 x 1,0	10,0 x 1,5
5660-108	M8 x 1,25	12,0 x 1,5
5660-110	M10 x 1,5	14,0 x 1,5
5660-112	M12 x 1,75	16,0 x 1,5
5660-114	M14 x 2,0	18 x 1,5



07

**Spark plug inserts**

Item no.	Model
5660-014	M14,1.25 / 9
5660-018	M18,1.50 / 9



08

**Inserting tool for manual assembly**

Item no.	Model
5660-114-1	M14 x 1.25
5660-118-1	M18 x 1.50



01

**Petrol tube upper rubber**

-40°C to +90°C, briefly +150°C



01

Item no.	Internal diameter	Wall thickness	Length
5897-055	5,5 mm	3,0 mm	20 m
5897-070	7,0 mm	3,0 mm	20 m
5897-075	7,5 mm	2,75 mm	20 m
5897-075-1	7,5 mm	3,0 mm	20 m
5897-095	9,5 mm	3,0 mm	20 m

02

**Fuel hose**

PVC compressor hose with textile, transparent



02

Item no.	Internal diameter	Wall thickness	Length
5895-45-80	4,0 mm	3 mm	15 m

03

**Petrol tube NBR**

-40°C to +125°C, briefly +150°C



03

Item no.	Internal diameter	Wall thickness	Length
5897-325	2,5 mm	1,75 mm	20 m
5897-333	3,3 mm	1,75 mm	20 m
5897-335	3,5 mm	2,25 mm	20 m
5897-337	3,7 mm	1,4 mm	20 m
5897-350	5,0 mm	2,5 mm	20 m
5897-380	8,0 mm	3,0 mm	20 m

04

**Fuel tube ECO**

-40°C to +90°C, briefly +110°C



04

Item no.	Internal diameter	Wall thickness	Length
5897-230	3,0 mm	7,0 mm	20 m
5897-235	3,5 mm	7,5 mm	20 m

05

**Fuel hose**

Yarn braided, temperature range -40°C to +110°C, suitable for biodiesel and biopetroleum, operating pressure 10 bar



05

Item no.	Internal diameter	Wall thickness	Length
5895-205	3,0 mm	7,5 mm	10 m
5895-206	3,5 mm	7,5 mm	10 m

06

**Vacuum hose**

Temperature resistant up to +110°C



06

Item no.	Internal diameter	Wall thickness	Length
5895-375	7,5 mm	3,0 mm	10 m

07

**Petrol tube yarn-woven**

-40°C to +90°C, briefly +110°C



07

Item no.	Internal diameter	Wall thickness	Length
5897-132	3,2 mm		20 m
5897-135	3,5 mm		20 m
5897-145	4,5 mm		20 m
5897-150	5,0 mm		20 m
5897-155	5,5 mm		20,m
5897-170	7,0 mm		20 m
5897-175	7,5 mm		20 m
5897-190	9,0 mm		20 m
5897-195	9,5 mm		20 m
5897-112-0	12,0 mm		20 m



**01 Exhaust repair paste**  
Asbestos-free

- ▶ Item no. 2893-148
- ▶ Contents: 150 g
- ▶ Packing unit: 12

- ▶ Product description
- Quick drying
- Highly viscous
- Asbestos-free



01

02

**02 Exhaust repair paste**  
Asbestos-free

- ▶ Item no. 2893-149-1
- ▶ Contents: 150 g
- ▶ Packing unit: 12

- ▶ Product description
- Quick drying
- Highly viscous
- Asbestos-free
- For sealing junctions

**03 Slotted round nuts**  
Thermag, DIN 14440,  
normal width across flats



03

Item no.	Thread	Width across flats
6365-2	M8	13
6365-3	M10	17

**04 Slotted round nuts**  
Thermag, DIN 14441,  
reduced width across flats



04

Item no.	Thread	Width across flats
6366-1	M6	9
6366-2	M8	12
6366-3	M10	14
6366-7	M10 x 1,25	14
6366-8	M8 X 1	12


**05 Exhaust pipe nuts**  
With flange 17 mm  
Quality 8, copper-plated  
Opel no. 8-54-906  
Height 10 mm



05

Item no.	Thread	Width across flats
6365-6	M8	13 mm


**06 Exhaust pipe nuts**  
With flange 21 mm  
Self-locking  
Quality 8, copper-plated  
Opel no. 8-54-976  
Height 10 mm



06

Item no.	Thread	Width across flats
6365-65	M10	15 mm

**07 Exhaust pipe nuts**  
With flange 17 mm  
Self-locking  
Quality 8, copper-plated  
Opel no. 20-66-156  
Height 8 mm



07

Item no.	Thread	Width across flats
6365-61	M8	13 mm

**08 Exhaust pipe nuts**  
With flange 17 mm  
Quality 8, copper-plated  
BMW no. 1162-1711-954  
Height 8.6 mm



08

Item no.	Thread	Width across flats
6365-8	M8	12 mm



**01**  
**Universal joint gaiters**  
**Set**

suitable for nearly every passenger car

Item no.	Ø in mm
5884-900	95
5884-901	105



01

02

**Drive shaft joint grease**

Greasor

- ▶ Item no. 5884-950
- ▶ Contents: 90 ml
- ▶ Packing unit: 1

▶ **Product description**

- High quality lithium soap grease with MoS2 as solid lubricant
- Specially designed for highly loaded constant velocity joints
- Suitable for greasing and lubricating slip and fixed joints as well as ball bearings



02

03

**Clamp for axel boot**

Item no.	Ø in mm
5550-884-31	27,6 - 30,8
5550-884-33	29,9 - 33,1
5550-884-35	31,4 - 34,6
5550-884-88	84,3 - 87,5
5550-884-97	93,3 - 96,5



03

04

**Steel cable ties**

Item no.	Band	Length
5884-909	6,0 mm	380 mm



04

05

**Steel cable ties**

Item no.	Band	Length
5550-46-127	4,6 mm	127 mm
5550-46-201	4,6 mm	201 mm
5550-46-360	4,6 mm	360 mm
5550-79-201	7,9 mm	201 mm
5550-79-362	7,9 mm	362 mm



05





01  
**License plate screw**  
Plastic PA 6.6



Item no.	Colour	Model
6210-078	white	6 x 20 mm

06  
**Rubber gaskets**



Item no.	Model
6422-65-17	6.5 x 17 x 2 mm
6422-65-20	6.5 x 20 x 3 mm

07  
**Plastic distance washers**



Item no.	Model
6421-06-18	18 x 7 x 6 mm

02  
**License plate screw**  
Head: V shaped,  
galvanised steel



Item no.	Model	Figure
6210-42	5 x 20 mm	02 / 2
6210-46	6 x 20 mm	02 / 2
6246-6-20	6 x 20 mm	02 / 1

03  
**License plate screw**  
Plastic PA 6.6, completely assembled



Item no.	Colour	Model
6210-78	white	6 x 20 mm

08  
**Sheet metal screw with gripping groove for decorative caps**  
for the attachment of license plates,  
thread according to DIN 7971,  
steel, quality 4.8, brightly galvanised




► Item no. 6103

09  
**License plate screw**  
with drill bit  
drill and screw in one step  
high level of corrosion prevention





► 6211-0

04  
**Decorative caps**  
For 6210, 6246



Item no.	Colour
6590-132-2	white
6590-132-3	black

05  
**Decorative caps**  
for item no. 6103-



Item no.	Colour
6590-103	white
6590-10-6	black
6590-109	blue
6590-100	yellow

10  
**License plate screw**  
Opel, fixed grommet,  
galvanised




► Item no. 6103-0

11  
**license plate screw A2**  
high-grade steel, DIN 7981



► Item no. 6119

01

**Brake line**

Item no.	Model	D	S	Length (L)
5885-090	Copper/Nickel alloy	4,75 mm	0,71 mm	5 m
5885-091	Copper/Nickel alloy	6,00 mm	0,71 mm	10 m

02

**Brake line extension**

Steel



Item no.	d1	d2	s x tl	Figure
5885-200	M10 x 1, Konus	Ø 3,5	14 x 24,0	02 / 2
5885-201	M12 x 1	Ø 4,0	17 x 29,0	02 / 2
5885-202	M10 x 1	Ø 3,2	11 x 28,0	02 / 1
5885-203	3/8" x 24UNF	Ø 3,1	14 x 33,2	02 / 2
5885-204	3/8" x 24UNF	Ø 3,2	11 x 28,0	02 / 1

03

**Brake line nipple steel**

Item no.	d2 Ø	Vehicle type
5885-100	5,0	Alfa, Audi, BMW, Citroen, Dacia, Fiat, Ford, Honda, Mitsubishi, Mercedes, Nissan, Opel, Peugeot, Renault, Rover, Saab, Seat, Skoda, Talbot, Volvo, VW, Zastava
5885-101	5,0	Alfa, Audi, Citroen, Fiat, Ford, Honda, Opel, Peugeot, Renault, Rover, Seat, Skoda, Saab, Volvo, VW
5885-102	5,0	Fiat
5885-103	5,0	Daihatsu, Hyundai, Nissan, Opel, Skoda, Toyota, Vauxhall, VW
5885-104	5,0	Toyota VW
5885-106	5,0	Bedford, Renault, Rover, Saab, Talbot, Vauxhall, Volvo
5885-109	5,0	Autobianchi, Dacia, Fiat, Lada, Lancia, Zastava
5885-110	5,0	Mazda
5885-111	5,0	Peugeot
5885-112	5,0	Daihatsu, Honda, Hyundai, Isuzu, Mazda, Mitsubishi, Nissan, Opel, Suzuki, Toyota, VW
5885-113	6,5	



01  
**Lubricator nipple**  
DIN 71412, H 1

Item no.	Model
6986-40	M6 x 1
6986-41	M8 x 1
6986-42	M10 x 1



02  
**Lubricator nipple**  
DIN 71412, H2

Item no.	Model
6986-50	M6 x 1
6986-51	M8 x 1
6986-52	M10 x 1



03  
**Lubricator nipple**  
DIN 71412, H 3

Item no.	Model
6986-60	M6 x 1
6986-61	M8 x 1
6986-62	M10 x 1



04  
**Angle joints**  
DIN 71802, galvanised

Item no.	1 mm x 2 mm	Type
6268-208-16	13 x 8	A
6268-508-16	13 x 8	AS

A = standard  
AS = with lock ring

05

**Assortment of clamping sleeves**

DIN 1481, blank

► Item no. 1957-476

Contents: 985 parts

100 x 2 X 20	(art. no. 6476-2-20)
100 x 2 X 30	(art. no. 6476-2-30)
100 x 3 X 20	(art. no. 6476-3-20)
100 x 3 X 40	(art. no. 6476-3-40)
100 x 4 X 40	(art. no. 6476-4-40)
100 x 4 X 60	(art. no. 6476-4-60)
50 x 5 X 30	(art. no. 6476-5-30)
50 x 5 X 40	(art. no. 6476-5-40)
50 x 5 X 60	(art. no. 6476-5-60)
50 x 6 X 40	(art. no. 6476-6-40)
50 x 6 X 50	(art. no. 6476-6-50)
50 x 6 X 60	(art. no. 6476-6-60)
25 x 8 X 40	(art. no. 6476-8-40)
25 x 8 X 50	(art. no. 6476-8-50)
25 x 8 X 60	(art. no. 6476-8-60)
10 x 10 X 60	(art. no. 6476-10-60)



05



06

**Clamping sleeves**

DIN 1481blank

Item no.	Model	Item no.	Model
6476-2-20	2 x 20	6476-5-60	5 x 60
6476-2-30	2 x 30	6476-6-40	6 x 40
6476-3-20	3 x 20	6476-6-50	6 x 50
6476-3-40	3 x 40	6476-6-60	6 x 60
6476-4-40	4 x 40	6476-8-40	8 x 40
6476-4-60	4 x 60	6476-8-50	8 x 50
6476-5-30	5 x 30	6476-8-60	8 x 60
6476-5-40	5 x 40	6476-10-60	10 x 60



01

**01  
Hose connector  
straight**

Item no.	For hose Ø
5896-103	3 mm
5896-104	4 mm
5896-105	5 mm
5896-106	6 mm
5896-108	8 mm
5896-110	10 mm



02

**02  
T-shaped hose connector**


Item no.	For hose Ø
5896-203	3 mm
5896-204	4 mm
5896-205	5 mm
5896-206	6 mm
5896-208	8 mm
5896-210	10 mm



03

**03  
Angled hose connector**

Item no.	For hose Ø
5896-303	3 mm
5896-304	4 mm
5896-305	5 mm
5896-306	6 mm



04

**04  
Y-shaped hose connector**

Item no.	For hose Ø
5896-403	3 mm
5896-404	4 mm
5896-405	5 mm
5896-406	6 mm
5896-408	8 mm
5896-410	10 mm

**05**

**Assortment of plastic hose connectors**

► Item no. 1957-896

Contents: 160 parts

10 x Straight hose connector 3mm	(art. no. 5896-103)
10 x Straight hose connector 4mm	(art. no. 5896-104)
10 x Straight hose connector 5mm	(art. no. 5896-105)
10 x Straight hose connector 6mm	(art. no. 5896-106)
10 x T-hose connector 3mm	(art. no. 5896-203)
10 x T-hose connector 4mm	(art. no. 5896-204)
10 x T-hose connector 5mm	(art. no. 5896-205)
10 x T-hose connector 6mm	(art. no. 5896-206)
10 x Angled hose connector 3mm	(art. no. 5896-303)
10 x Angled hose connector 4mm	(art. no. 5896-304)
10 x Angled hose connector 5mm	(art. no. 5896-305)
10 x Angled hose connector 6mm	(art. no. 5896-306)
10 x Y-hose connector 3mm	(art. no. 5896-403)
10 x Y-hose connector 4mm	(art. no. 5896-404)
10 x Y-hose connector 5mm	(art. no. 5896-405)
10 x Y-hose connector 6mm	(art. no. 5896-406)



05

**06**

**PVC hose, transparent**



06

Item no.	Inner ø mm	Wall thickness mm	Roll length m
5895-3	3,0	1,0	15
5895-4	4,0	1,0	15
5895-5	5,0	1,2	15
5895-6	6,0	1,2	15
5895-8	8,0	1,5	15
5895-10	10,0	1,5	10
5895-12	12,0	2,0	10